


Guillen's Enterprises, inc
jacuzzi.com
800-222-7855



J-DREAM II™



PARTS CATALOG

Model #C880000
Model #C890000
Issue Date: 7/94
Catalog #E855000

CONTENTS


	PAGE
J-Dream II Reference	1
Shower Enclosure Assembly (Sheet 1 of 2)	2
Shower Enclosure Assembly (Sheet 2 of 2)	3
Fastener Identification Guide	4
Seatwall/CD Player Assembly	5
Backwall Assembly (Sheet 1 of 2)	6
Backwall Assembly (Sheet 2 of 2)	7
Equipment/Seatwall Assembly	8
Other Items Available	9



J-DREAM II

MODEL #C880000
MODEL #C890000
ISSUE DATE:7/94

REPAIR PARTS/ASSEMBLIES ARE REFERENCED BELOW




NOTE: This catalog contains repair part numbers and information for the J-Dream II, Product Code #C880 and the J-Dream II w/ Stereo Sound System, Product Code #C890.



J-DREAM II

MODEL #C880000
MODEL #C890000
ISSUE DATE: 7/94

SHOWER ENCLOSURE ASSEMBLY (SHEET 1 OF 2)





Guillen's Enterprises, inc
jacuzziparts.com
800-222-7855

J-DREAM II

MODEL #C880000
MODEL #C890000
ISSUE DATE:7/94

SHOWER ENCLOSURE ASSEMBLY (SHEET 2 OF 2)

ITEM	P/N	DESCRIPTION	QTY
1	E552000	Top/Foam Assembly	1
2	C113000	Repair Foam Tape, .25 x .75 x 12.5 ft.	ea.
3	E551000	Top Frame Assembly	1
4	E546000	Base/Frame Assembly	1
5	A335000	Drain, Shower	1
6	E408000	Seals Assembly, Panel #2	1
7	E409000	Seals Assembly, Panel #3	1
8	E324000	Trim And Drill, Panel #4	1
9	E321000	Trim And Drill, Panel #1	1
10	E332000	Bracket/Velcro Assembly	2
11	E038000	Bracket, 6 x 6 x 3/4	1
12	E313000	Fastener, U-Clip, 10-24	2
13	3973000	Screw, Mach, PHP, #10-24 x .75"L.	6
14	4036000	Washer, #10 Flt, Type A Pln Wd Ser	2
15	4033832	Nut, Lockng Hd Kep Typ #10-24	6
16	E028000	Bracket, Side, 1.25 x 8	4
17	D470971	Bracket, Angle, 1 x 73.63	2
18	C884000	Backwall Assembly, J-Dream II	1
19	C882000	Equipment/Seatwall Assy, J-Dream II	1
* 19	C887000	Equipment/Seatwall Assy, J-Dream II	1
20	C883000	Seatwall Assembly, J-Dream II	1
* 20	C888000	Seatwall Assembly, J-Dream II	1
21	C885000	Door Frame Assembly, J-Dream II	1
* 21	E563000	Door Frame Assembly, J-Dream II	1
22	E458000	Bonding Assembly, 8" Panel	1
23	E331000	Bonding Assembly, 12" Panel	1
* 23	E459000	Bonding Assembly, 12" Panel	1
24	6525000	JWB Nameplate	1
25	9695000	Fastener, Hook	ea.
26	9696000	Fastener, Loop	ea.
27	E412000	Base Panel Assembly	1
28		Strainer, Shower Drain, White	1

* Applies to Model #C880000, J-Dream II w/o Stereo




J-DREAM II

MODEL #C880000
MODEL #C890000
ISSUE DATE: 7/94

FASTENER IDENTIFICATION GUIDE

The following fasteners are depicted for fast identification. A Jacuzzi Whirlpool Bath (JWB) part number has been provided for ordering purposes. A description has also been provided so items can be purchased locally, if so desired. This chart can be used in conjunction with the J-Dream II Owner's Manual to order and identify fasteners.


(A) CLIP



U-CLIP
10-24

JWB P/N E313000


(B) SCREW



PAN HEAD SCREW
#10-24 X 3/4"

JWB P/N 3973000


(C) WASHER



FLAT WASHER 1/4"

JWB P/N 4006832

(D) NUT



LOCK NUT 10-24

JWB P/N 4033832


(E) SCREW



FLAT HEAD SCREW
M4 X 10mm

JWB P/N E463000


(F) SCREW



PAN HEAD SCREW
#12 X 1/2

JWB P/N E049832


(G) BOLT



HEX BOLT 1/4-20 X 1.5"

JWB P/N 3947832

(H) BOLT



SELF-TAPPING
M6 X 50mm

JWB P/N E464000

(I) WASHER



EXTERNAL TOOTH
LOCK WASHER 1/4

JWB P/N E406000

(J) NUT



1/4-20 LOCK NUT

JWB P/N 4034832

(K) WASHER



FLAT WASHER #10

JWB P/N 4036000

(L) SCREW



PAN HEAD SCREW
#6-32 X .38


JWB P/N E170000

(M) SCREW CAP COVER



JWB P/N D695000

SIDE BRACKET




JWB P/N E028000

L BRACKET



JWB P/N E038000


LAG SCREW



1/4-10 X 1.5"

JWB P/N 2650832

FLOOR
CLAMP



JWB P/N E020000

DRAIN CLIP




JWB P/N E553000 (3/4")
JWB P/N E554000 (1")



J-DREAM II

MODEL #C880000
MODEL #C890000
ISSUE DATE:7/94


SEATWALL/CD PLAYER ASSEMBLY




INSIDE OF SEATWALL

Apply bead of sealant
around speaker flanges
before installing.

NOTE: Use only Red Devil Inc.
#0870 Clear Caulk Sealant.



BACK OF SEATWALL



Remove foam gasket from
back side of housing flange
then apply bead of sealant
around flange.

FRONT PANEL SHOWN FOR REFERENCE

ITEM	P/N	DESCRIPTION	QTY
1	E039000	CD Player	1
2	E042902	Housing, Modified, White	1
3	3968000	Screw, Mach., PHP, #8-32 x .75"L.	4
4	E169000	Bracket, CD Player	2
5	E176832	Nut, Elastic Lock, #8-32	4
6	E174832	Screw, Hex Hd, M5 x 6MM	5
7	4051000	Washer, #10 Extnl Tooth, Locking	4
8	E410000	Wire Assy, Ring x Ring, Green	1
9	4040832	Scrw, TPG, PHP, Type F #8-32 x .50"L.	7
10	4050000	Washer, #8 Extnl Tooth Locking	2
11	E319000	Wiring Harness, Stereo	1
12	E040902	Speaker Set, Marine, White	2
13	E314000	Screw, PHP, #6-32 x .75	4
14	E187832	Nut, Elasticlock, #6-32	4
15	E549000	Plate, Coex, 26.3" x 6.7"	1
16	E548000	Plate, Coex, 5" x 10"	2
17	A937000	Washer, Flat #8 Type B Regular	6
18	5269832	Nut, Locking Hd Kep Type #8-32	2
19	A679000	Tubing, PVC Reinf., .38 I.D. x 60"	4
20	E465000	Hose, 90"L., Red	1
21	E466000	Hose, 86"L., Green	1
22	E467000	Hose, 86"L., Blue	1
23	E468000	Hose, 86"L., Yellow	1
24	E469000	Hose, 86"L., Orange	1
25	E101000	Manifold	8
26	B983940	Plug, 1 1/8 Hole, White	2

* This Item is also used to attach Ground Wire, Item 8 to CD Player

** Speaker Set includes 2 speakers and 2 speaker wire lengths of 15 feet for each speaker.




J-DREAM II

MODEL #C880000
MODEL #C890000
ISSUE DATE:7/94


BACKWALL ASSEMBLY (SHEET 1 OF 2)

NOTE: Use only Red Devil Inc.
#0870 Clear Caulk Sealant.




Backwall Exterior

Apply bead of sealant
on interior side of wall




DETAIL 2

Apply bead of sealant
to rivnut flange before installing




Backwall Interior


DETAIL 3



DETAIL 4



DETAIL 1



DETAIL 5



J-DREAM II

MODEL #C880000

MODEL #C890000

ISSUE DATE:7/94

BACKWALL ASSEMBLY (SHEET 2 OF 2)

ITEM	P/N	DESCRIPTION	QTY
1	E086971	Bath Robe Closet Door	1
2	E087000	Robe Closet Door Hinge	2
3	C980902	Shower Hd, H. Hld, Optica, White	2
4	D585902	Flex Hose, Shower, 59", White	2
5	E088902	Bath Robe Hook	2
6	D121000	Closure, Door, J-Dream	1
7	C981902	Wall Bar Assy, Optica, White	1
8	D118000	Bail, Shelf	4
9	D023000	Panel, Display	1
10	D053959	Trim, Shower Valve, White	1
11	D051959	Trim, Mixer/Diverter, White	1
12	1172000	Anchor, Cable Tie	5
13	E403000	Flex Hose, Water Supply	1
14	C368000	Flex Hose, Water Supply	2
15	D732827	Steam Head, Chrome	1
16	B819000	O-Ring	4
17	B986000	Shield/Grommet Assy	1
18	E034902	Pipe Assy, Bulkhead Ftg, White	1
19	B692000	Washer, Neoprene	1
20	B734000	Washer, Fibre	2
21	A828000	Nut, Hex, 7/8-20 UNEF	1
22	E182902	Outlet Assy, 90, White	2
23	4826832	Locknut, 1/2"-14 NPT	2
24	A827000	Rivnut, #10-32	1
25	4051000	Washer, #10 Extnl Tooth, Lockng	1
26	D865000	Screw, PHP, 10-32 x 2.50"L.	2
27	E183000	Adapter, 1/2 MPT x 3/4 MHT	2
28	E402000	Elbow, 45, 1/2 FPT	2
29	E404000	Nipple, Close, 1/2 NPT	2
30	E182000	Outlet Assy, 90	3
31	A301000	Male Adapter, 1/2" x 1/2"	1
32	A954000	Tee, 1/2" x 1/2" x 1/2", Brass	1
33	A955000	Elbow, 90, 1/2", Brass	1
34	A678000	Tubing, PVC, Reinforced, .5 ID x 60"L.	1
35	E414902	Mixer, White	1
36	E418902	Diverter, White	1
37	E420000	Support, Mixer	1
38	E422000	Support, Diverter	1




J-DREAM II


MODEL #C880000
MODEL #C890000
ISSUE DATE:7/94

EQUIPMENT/SEATWALL ASSEMBLY



NOTE: Use only Red Devil Inc.
#0870 Clear Caulk Sealant.



Apply bead of sealant around
plug, item 31, before installing.



Apply bead of sealant
to nozzle flange before
installing.



ITEM	P/N	DESCRIPTION	QTY	ITEM	P/N	DESCRIPTION	QTY
1	C594000	Motor/Pump 240V 60 Hz	1	16	D046000	System Control Module	1
2	E110000	Tank	1	17	E401000	Power Supply/Brkt/Cord Assy	1
3	D045000	Sensor	1	18	A679000	Tubing, PVC, Reinf, .38 ID x 60	ea.
4	D108000	Cable/Cap, Level Sensor	1	19	E462000	Spacer, .14 x .38 Dia.	1
5	E104000	Steam Generator	1	20	E171000	Pipe Assy, Hose Adapter	1
6	D419000	Silicone Hose	1	21	E175000	Spring Clamp, 1.13 OD Hose	1
7	D418000	Corrugated Hose	1	22	C112000	Repair Spray Jet Assembly	32
8	E102000	Thermostat	1	23	E037902	Nozzle, Cascade	14
9	C593000	Heater w/Thermostat	1	24	E549000	Plate, Coex, 26.3" x 6.7"	1
10	E103000	O-Ring, Steam Generator	1	25	E548000	Plate, Coex, 5" x 10"	2
11	C548000	Solenoid Valve, N.C.	1	26	B984000	Connector, Corr. 3/4" F x F	1
12	C549000	Solenoid Valve, N.C., 4Way	2	27	C720000	Pipe Assy, 3/8 MPT x 3/4 MPT	1
13	E101000	Manifold	8	28	B172000	Barbed Tee	5
14	E108000	Manifold Nut Ring	16	29	A944000	Spring Clamp, .625 OD Hose	15
15	C590000	J Box/Plate/Cord, Assy	1	30	E109000	Steam Outlet Nut Ring	2
				31	B983940	Plug, 1 1/8 Hole, White	1
				N.S.	D124000	Fitting, Steam Drain	2

NOTE: Item 17 applies only to Model #C890000, J-Dream II w/Stereo



Guillen's Enterprises, inc

jacuzziparts.com

800-222-7855

J-DREAM II

MODEL #C880000
MODEL #C890000
ISSUE DATE:7/94

OTHER ITEMS AVAILABLE

BO40000

E559000

Pressure Balancing Valve

J-Dream II Hardware Kit

Guillen's Enterprises, inc
jacuzziparts.com
800-222-7855

PRODUCT SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE.
USE INSTALLATION INSTRUCTIONS SUPPLIED WITH PRODUCT.

Jacuzzi Whirlpool Bath has obtained applicable code (standards) listings generally available on a national basis for products of this type. It is the responsibility of the installer/owner to determine specific local code compliance prior to installation of the product. Jacuzzi Whirlpool Bath makes no representation or warranty regarding, and will not be responsible for any code compliance.

JACUZZI WHIRLPOOL BATH

Jacuzzi Whirlpool Bath National Headquarters
P.O. Drawer J, Walnut Creek, CA 94596 (510) 938-7070
Service Support: (800) 288-4002

©Copyright 1994 Jacuzzi Whirlpool Bath E855000 7/94

Printed in the U.S.A.