



Geberit Product and Parts Catalog

February 2015

**KNOW
HOW**
INSTALLED

Table of Contents

Geberit North America is part of the Geberit Group, a European market leader and global provider of sanitary technology. Located in Des Plaines, Illinois, Geberit North America provides concealed tank and carrier systems for wall-hung and floor-mounted toilets and fixtures. Geberit systems improve the look of any bathroom by hiding the unsightly toilet tank. Replacing a standard tank and toilet with the Geberit system results in more usable space, improved hygiene and better accessibility. The unique dual-flush valve saves water and is practically maintenance free. Monolith is Geberit's newest product – a unique alternative to the traditional floor-mounted toilet and tank. Geberit also offers cable-controlled bath waste and overflows in a variety of designer finishes. Critical working parts are outside the waterway, ensuring years of trouble-free operation.

For more information, contact your Geberit sales representative, call 800/566-2100 or go to → geberit.us.

Note for customers in Canada: To inquire about Geberit Bath Waste & Overflow Systems, contact Dobbin Sales at 905.264.5465 or info@dobbinsales.com. For all other Geberit products, go to our Locator at → geberit.us.

Possession of this Catalog does not constitute an offer to sell Geberit product.

Please refer to → geberit.us for our comprehensive terms and conditions.

Geberit Installation Systems	Page 3
Product features, installation scenarios and system components	4-5
Systems for Wall-Hung Toilets	
Geberit Duofix Carrier with Sigma Concealed Tank (2x6 Installation), actuators, accessories and replacement parts	6-8
Geberit Duofix Carrier with Sigma Concealed Tank (2x4 Installation), actuators, accessories and replacement parts	9-11
Geberit Duofix Carrier with Omega Concealed Tank (pre-wall Installation), actuators, accessories and replacement parts	12-14
Inactive Geberit Duofix Carrier with Kappa Concealed Tank (pre-wall Installation), actuators, accessories and replacement parts	15-17
Systems for Wall-Hung Lavatories	
Geberit Duofix Carrier, accessories and replacement parts	18
Systems for Wall-Hung Urinals	
Geberit Duofix Carrier, actuators, accessories and replacement parts	19-20
Systems for Wall-Hung Bidets	
Geberit Duofix Carrier, accessories and replacement parts	21-22
Geberit Flushing System	23
Systems for Floor-Mounted, Back Outlet Toilets	
Geberit Sigma Concealed Tank (2x6 Installation), actuators, accessories, and replacement parts	24-28
Geberit Actuator Parts	29
Sigma01, Sigma20 and Sigma50, Samba, Twist and Bolero Flush Plates	30
Sigma01 and Sigma10, Mambo, Rumba and Tango Flush Plates	31
Sigma60 Flush Plates	32
Sigma70 flush plates	33
Sigma80 Flush Plates	34
Sigma10/Mambo Hands-Free Flush Plates	35
Omega20 And Omega30 Flush Plates	36
Omega60 Flush Plates	37
Kappa Flush Plates	38
Inactive Flush Plates	39
Type 70 Remote Push Buttons	40
Square Remote Push Button Actuators	41
Round Remote Push Buttons	42
Rectangular and Round Remote Push Buttons	43
Urinal Flush Plates	44
Urinal Hands-Free Flush Plates	45
Geberit Monolith	46
Systems for Floor-Mounted Back Outlet Toilets	
Geberit Monolith Module and replacement parts	48-49
System for Wall-Hung Toilets	
Geberit Monolith Module and replacement parts	50-51
Geberit Bath Waste & Overflow Systems	52
Trim Finishes and Rough-In Unit Materials	54-55
Selecting the Right Size Bath Waste & Overflow	56-57
TurnControl BWO Systems	
Rough-in, Remote Control, Complete Units, Trim Kits and accessories	58-60
PushControl BWO Systems	
Complete Units and accessories	61
TurnControl BWO Systems with Cascading Tub Filler	
Complete Units and accessories	61
BWO Replacement Parts	
Replacement parts kits, TurnControl handles and plunger assemblies	62-63
Appendix	65-66
Warranty	67

Geberit Installation Systems



19 3/4" (500 mm)

65"

68"

26 3/4"

(670 mm)

7 1/8" or
9 1/8"
(180 or
230 mm)

4"

Distinctive... Sustainable... Uncompromising

Geberit Installation Systems keep the unsightly out of sight.

Aesthetics

Safely hidden behind the wall, Geberit's in-wall technology allows unique beauty from floor to ceiling.

Water Saving

Geberit Dual-Flush Technology provides an effective flush volume of 1.1 GPF, exceeding the 1.28 GPF High Efficiency (HET) standard.

Space Saving

Design possibilities are realized with elegance when the toilet is off the floor. For confined spaces, it's the ideal choice.

Easy to Clean

Because the toilet is off the floor, cleaning the entire area is easy.

Flexibility

The adjustable-height carrier allows you to position the toilet 15" to 19" off the floor for meeting ADA requirements or personal preference.

Strength and Stability

The Geberit Installation System supports up to 880 lbs., exceeding ASME A112.6.2 strength requirements.

Accessible Maintenance

The Geberit Installation System offers easy access to all internal components, including the fill and flush valves, through decorative actuator flush panels. No tools are needed for simple changeouts.




Duravit "Starck 1" toilet with Sigma50 flush plate with Custom inlay

Installation Scenarios


Geberit Duofix Carriers are simple and easy to install. They require either a 2" x 4" or a 2" x 6" wood frame or metal frame construction.

The studs must be placed 23-1/4" apart for 2" x 4" installation and 19-3/4" apart for 2" x 6" installation where the carrier will be positioned inside a wall. For pre-wall installations, frame to wall anchors are needed.


Wood frame in-wall installation, front activation.




Metal frame in-wall installation, front activation.



Pre-wall installation, front activation.




Pre-wall installation, top or front activation.



System Components


Toilet (See pages 6-17)

Geberit Duofix Carrier with Concealed Tank




Lavatory (See page 18)

Geberit Duofix Carrier




Urinal (See page 19-20)

Geberit Duofix Carrier



Bidet (See page 21-22)

Geberit Duofix Carrier



* Contact vitreous china manufacturer for complete selection of products. Refer to → geberit.us for recommended manufacturers.

Geberit Installation Systems

Systems for Wall-Hung Toilets, 2x6 Installation

Dual-Flush Actuators, 2x6 Installation

Style	Material	Finish	Model No.	List Price
	Plastic	Alpine White	115.777.11.1	\$113.00
		Polished Chrome	115.777.21.1	146.00
		Matte Chrome	115.777.46.1	146.00
	Plastic	Alpine White	115.770.11.5	83.00
		Polished Chrome	115.770.21.5	113.00
		Matte Chrome	115.770.46.5	113.00
	Metal	Br Ni-Polish Chrome-Br Ni*	115.778.ID.1	232.00
		Br SS-Polish Chrome-Br SS*	115.778.SN.1	233.00
		Br Ni-Polish Chrome-Br Ni* VR	115.781.ID.1	268.00
		Br SS-Polish Chrome-Br SS* VR	115.781.SN.1	268.00
	Plastic	Polish Chr-Matte Chr-Polish Chr*	115.778.KH.1	172.00
		White-Polish Chrome-White*	115.778.KJ.1	119.00
		White-Polished Gold-White*	115.778.KK.1	551.00
		White-Matte Chr-Matte Chr*	115.778.KL.1	147.00
		Black-Polish Chrome-Black*	115.778.KM.1	147.00
		Matte Chr-Polish Chr-Matte Chr*	115.778.KN.1	172.00
	Die Cast	Customer supplied inlay	115.788.00.5	344.00
		Alpine White	115.788.11.5	344.00
		Black	115.788.DW.5	344.00
		Brushed Chrome	115.788.GH.5	444.00
		Smoke Glass	115.788.SD.5	444.00
		Green Satin Glass	115.788.SE.5	444.00
	Die Cast	Umber Glass	115.788.SQ.5	444.00
		Complete Rough-in and Trim Set	115.792.GH.1	573.00
		Rough-In Set***	115.795.21.1	172.00
		Brushed Chrome Trim Set***	115.796.GH.1	401.00
	Die Cast	Cover frame (when needed)	242.544.GH.1	124.00
	Metal	Customizable	115.620.00.1	485.00
		Br SS	115.620.FW.1	644.00
		White Glass	115.620.SI.1	567.00
		Black Glass	115.620.SJ.1	567.00
	Glass	Umber Glass	115.620.SQ.1	567.00

Single-Flush Actuators, 2x6 Installation

	Die Cast	Alpine White	115.760.11.1	\$231.00
		Polished Chrome	115.760.21.1	231.00
		Matte Chrome	115.760.46.1	231.00
		Pergamon	115.760.EP.1	229.00
		Satinox	115.760.GM.1	339.00
		Palladium	115.760.HC.1	559.00
		Oil Rubbed Bronze	115.760.HM.1	389.00
		ForeverShine™ PVD Polish'd Nickel	115.760.IB.1	389.00
		ForeverShine™ PVD Brush'd Nickel	115.760.ID.1	389.00
		Polished Chrome-Matte Chrome**	115.760.KA.1	236.00
	Metal	Br SS	115.758.SN.5	236.00
		Br SS VR	115.787.SN.5	268.00
	Plastic	Polish Chr-Matte Chr-Polish Chr*	115.758.KH.5	175.00
		White-Polish Chrome-White*	115.758.KJ.5	122.00
		White-Polished Gold-White*	115.758.KK.5	349.00
		White-Matte Chr-Matte Chr*	115.758.KL.5	149.00
		Black-Polish Chrome-Black*	115.758.KM.5	149.00
		Matte Chr-Polish Chr-Matte Chr*	115.758.KN.5	175.00

Hands Free Actuators and Transformer, 2x6 Installation

	Metal	Br SS (AC Power)	115.890.SN.5	\$808.00
		Br SS (Battery/DC Power)	115.891.SN.5	808.00
	Glass	Single-Flush		
		Black (AC Power)	116.090.SG.1	1,364.00
		Mirror (AC Power)	116.090.SM.1	1,364.00
	Dual-Flush			
		Transformer for AC powered hands free actuator.	115.861.00.1	135.00

Dual-Flush Flush Buttons, 2x6 Installation

Style	Material	Finish	Model No.	List Price
	Metal	Br SS	115.630.FW.1	\$725.00
		Glass	White Glass	115.630.SI.1 615.00
		Black Glass	115.630.SJ.1	615.00
		Umber Glass	115.630.SQ.1	615.00
Round	Plastic	Polished Chrome	115.999.21.1	144.00
	Plastic	Alpine White	115.942.11.1	111.00
		Polished Chrome-Matte Chrome**	115.942.KA.1	144.00
	Plastic	Polish Chrome-Matte Chrome**	115.932.KA.1	144.00
		Metal	Brushed Chrome	115.932.GH.1 228.00

Single-Flush Flush Buttons, 2x6 Installation


	Plastic	Alpine White	115.114.11.1	\$95.00
		Polished Chrome	115.114.21.1	111.00
	Metal	Br SS	115.114.FW.1	228.00
	Plastic	Alpine White	115.941.11.1	95.00
		Polished Chrome-Matte Chrome**	115.941.KA.1	144.00

Cover Plates for Sigma Concealed Tank, 2x6 Installation, for use with Flush Buttons

	Glass	White	115.766.SI.1	\$193.00
	Metal	Br SS	115.764.FW.1	242.00

Geberit Duofix Carrier, 2x6 Installation

Model No.	Description	List Price
111.335.00.5	Carrier frame with Sigma Concealed Tank,	\$519.00



NOTES:

1. Concealed tank shipped dual-flush ready
2. Geberit Duofix Carrier for 2-hole washdown style wall-hung toilet fixtures only
3. Refer to → [geberit.us](https://www.geberit.us) for latest list of code approved compatible toilet fixtures, including certified WaterSense combinations

* Finishes follow this pattern = Plate-Ring-Button

** Finishes follow this pattern = Frame-Button

*** Rough-in Set and Trim Set can be ordered separately. Both sets needed for installation.

† Note: For tiled walls only!



VR = Vandal Resistant

Br SS = Brushed Stainless Steel


Br Ni = Brushed Nickel

Optional Accessories for Geberit Duofix Carrier 111.335.00.5, 2x6 Installation

Mounting Accessories for Geberit Duofix Carrier Frames

Description	Model No.	List Price
 Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall	111.815.00.1	\$32.00
 Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall corner installations	111.835.00.1	32.00
 Support brackets for wall-hung toilets with small contact surface (thin profiles)	111.847.00.1	42.00
 Fire protection set for Sigma Concealed Tank 90 min. fire resistance to DIN EN 1364-1:1999-10	111.863.00.1	480.00
 Frame to wall anchoring where foot installations into floor are not allowed for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall	111.867.00.1	63.00
 Frame to stud fastening set for extended stud spacing from 19.75"-25.56" (50-65 cm)	111.869.00.1	32.00
 Frame to wall anchoring extensions for 7.875"-15.75" (20-40 cm) thick (unfinished pre-wall)	111.887.00.1	12.00

Waste Fittings

	HDPE straight connector with socket for Ø3.50" (Ø90 mm) push fit piping and Ø3.50" (Ø90 mm) outlet x 12" (31 cm) long	366.887.16.1	\$32.00
	HDPE connector with offset for LH horizontal drain connections (as viewed from sitting position), 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping, with 45° offset and Ø3.50" (Ø90 mm) outlet for 5.5" (13.97 cm) minimum walls only.	366.913.16.1	69.00
	HDPE connector with offset for RH horizontal drain connections (as viewed from sitting position), 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping, with 45° offset and Ø3.50" (Ø90 mm) outlet for 5.5" (13.97 cm) minimum walls only.	366.914.16.1	69.00
	Cast iron outlet bend; 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping and 3" CIP outlet	367.071.18.1	143.00
	HDPE "Back-to-back" connector for horizontal drain connections; 2 x 90° bends with sockets for Ø3.50" (Ø90 mm) push fit piping, with 45° offset and expansion to Ø4.375" (Ø110 mm) outlet for 10.75" (27.31 cm) minimum walls only.	367.485.16.1	143.00
	HDPE "Back-to-back" connector for vertical drain connections; 2 x 90° bends with sockets for Ø3.50" (Ø90 mm) push fit piping and expansion to Ø4.375" (Ø110 mm) outlet for 10.75" (27.31 cm) minimum walls only.	367.923.16.1	143.00





Bowl Connection Sets and Accessories for Finished Walls up to 3.5" (9 cm) Thick

Description	Model No.	List Price
 Connector set with mounting hardware (bowl installation kit), HDPE; Alpine White cover caps	152.404.11.1	\$40.00
 HDPE connection set with 1" (2.5 cm) offset and mounting hardware (bowl installation kit); with socket for Ø3.50" (Ø90 mm) push fit piping and Ø55 supply inlet; Matte Chrome cover caps	405.116.00.1	212.00
 Cover caps with leveling washer, Plastic, Alpine White	217.713.11.1	5.00
 Acoustic insulation set for wall-hung toilets and bidets	156.050.00.1	16.00

Bidet Seat Accessory for Geberit Duofix Carrier Frames

	Water supply hose for bidet seat for 111.355.00.5, 111.728.00.1, 111.255.00.1 and 111.012 carriers with Sigma Concealed Tanks 2x6 and 2x4 and Kappa and Omega Concealed Tanks. For adding bidet seat to an installed carrier.	249.801.00.1	\$103.00
---	---	--------------	----------

Required Accessories for 3.50"-7.00" (9-18 cm) Finished Wall Thickness


	Mud guard protection housing for Sigma Concealed Tanks 2x6 and 2x4, Plastic	241.826.00.1	\$11.00
	Extension set for actuator plates for Sigma Concealed Tanks 2x6 and 2x4, Kappa and Omega Concealed Tanks	240.938.00.1	20.00
	HDPE Connector set for extended installation and mounting hardware (bowl installation kit), with socket for Ø3.50" (Ø90 mm) push fit piping and Ø2.16" (Ø55 mm) supply inlet; Matte Chrome cover caps	152.438.46.1	52.00
	Mounting rod M12 x 10" long. Not supplied.	By others	—

Systems for Wall-Hung Toilets, 2x6 Installation

Replacement Parts for Geberit Duofix Carrier 111.335.00.5, 2x6 Installation

Item	Model No.	Description	List Price
1	242.314.00.1	Materials for concealed carrier and tank installation	\$40.00
2	242.315.00.1	Splash guard protection cover for Sigma Concealed Tank	6.00
3	241.826.00.1	Mud guard protection housing for Sigma Concealed Tanks 2x6 and 2x4, Plastic	11.00
4	362.771.00.1	Seal for concealed flush pipe, EPDM	2.00
5	362.796.92.1	Protection plug, Plastic	5.00
6	240.189.00.1	Threaded rod for wall-mounted toilet or bidet installation	4.00
7	152.404.46.1	Connector set with mounting hardware (bowl installation kit), HDPE; Matte Chrome cover caps	40.00
7.1	217.713.46.1	Cover caps with leveling washer, Plastic, Matte Chrome	5.00
7.2	119.668.00.1	Seal for supply inlet tube, EPDM	2.00
7.3	152.424.00.1	Seal for toilet outlet connector, EPDM	3.00
8	366.061.16.1	HDPE waste fitting outlet bend, 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping and Ø3.50" (Ø90 mm) outlet	20.00
8.1	387.282.00.1	Seal for outlet bends, EPDM	5.00
9	366.820.92.1	Protection plug, Plastic	4.00

Item	Model No.	Description	List Price
10	By others	Flexible Coupling FERNCO 3005-33	—
11	242.012.00.1	Outlet pipe bracket (complete)	\$4.00
12	242.010.00.1	Conduit pipe for shower toilet water supply with Sigma Concealed Tank 2x6 (from 2008 to 2013)	5.00
12.1	242.886.00.1	Conduit pipe for shower toilet water supply with Sigma Concealed Tank 2x6, Omega Concealed Tank or Kappa concealed tank (from 2013 on)	10.00
13	111.892.00.1	Frame mounting screws for steel stud construction, Galvanized; self-tapping	4.00
14	240.853.00.1	Supply angle Stop (black handle)	14.00
14.1	240.851.00.1	Drop Ear Elbow, Copper	11.00
15	240.921.00.1	Connection hose for Sigma Concealed Tank, 3/8"	14.00
15.1	240.922.00.1	Seal kit for braided hose, EPDM O-Ring	9.00
16	240.923.00.1	Fixation clip for filling valve	6.00
17	241.469.00.1	Filling valve Type 380 for Sigma, Omega and Kappa Concealed Tanks	24.00
17.1	240.771.00.1	Seal kit for filling valve Type 380	11.00
18	241.858.00.1	Dual-flush valve complete with valve seat basket	21.00
19	240.622.00.1	Dual-flush valve for Sigma Concealed Tank	12.00
19.1	241.167.00.1	Yoke set for flush valves	9.00
19.2	816.418.00.1	Flat gasket for flush valve	2.00
20	241.859.00.1	Valve seat basket and noise bushing for flush valve	10.00
20.1	241.868.00.1	U-cup seal for valve basket	2.00
21	241.829.00.1	Flush actuator gear box	6.00
22	240.269.00.1	Angle stop valve to concealed tank (blue handle)	17.00
22.1	240.298.00.1	Spindle to angle stop valve	13.00
22.2	240.347.00.1	Handle for angle stop valve (blue)	4.00
22.3	241.857.00.1	Counter nut, Plastic	4.00



Systems for Wall-Hung Toilets, 2x4 Installation

Dual-Flush Actuators, 2x4 Installation

Style	Material	Finish	Model No.	List Price
	Plastic	Alpine White	115.777.11.1	\$113.00
		Polished Chrome	115.777.21.1	146.00
		Matte Chrome	115.777.46.1	146.00
	Plastic	Alpine White	115.770.11.5	83.00
		Polished Chrome	115.770.21.5	113.00
		Matte Chrome	115.770.46.5	113.00
	Metal	Br Ni-Polish Chrome-Br Ni*	115.778.ID.1	232.00
		Br SS-Polish Chrome-Br SS*	115.778.SN.1	233.00
		Br Ni-Polish Chrome-Br Ni* VR	115.781.ID.1	268.00
		Br SS-Polish Chrome-Br SS* VR	115.781.SN.1	268.00
	Plastic	Polish Chr-Matte Chr-Polish Chr*	115.778.KH.1	172.00
		White-Polish Chrome-White*	115.778.KJ.1	119.00
		White-Polished Gold-White*	115.778.KK.1	551.00
		White-Matte Chr-Matte Chr*	115.778.KL.1	147.00
		Black-Polish Chrome-Black*	115.778.KM.1	147.00
		Matte Chr-Polish Chr-Matte Chr*	115.778.KN.1	172.00
	Die Cast	Customer supplied inlay	115.788.00.5	344.00
		Alpine White	115.788.11.5	344.00
		Black	115.788.DW.5	344.00
		Brushed Chrome	115.788.GH.5	444.00
		Smoke Glass	115.788.SD.5	444.00
		Green Satin Glass	115.788.SE.5	444.00
	Die Cast	Complete Rough-in and Trim Set	115.792.GH.1	573.00
		Rough-In Set***	115.795.21.1	172.00
		Brushed Chrome Trim Set***	115.796.GH.1	401.00
		Cover frame (when needed)	242.544.GH.1	124.00
	Die Cast	Customizable	115.625.00.1	485.00
	Metal	Br SS	115.625.FW.1	644.00
	Glass	White Glass	115.625.SI.1	567.00
		Black Glass	115.625.SJ.1	567.00
		Umber Glass	115.625.SQ.1	567.00

Single-Flush Actuators, 2x4 Installation

	Die Cast	Alpine White	115.760.11.1	\$231.00
		Polished Chrome	115.760.21.1	231.00
		Matte Chrome	115.760.46.1	231.00
		Pergamon	115.760.EP.1	229.00
		Satinox	115.760.GM.1	339.00
		Palladium	115.760.HC.1	559.00
		Oil Rubbed Bronze	115.760.HM.1	389.00
		ForeverShine™ PVD Polish'd Nickel	115.760.IB.1	389.00
		ForeverShine™ PVD Brush'd Nickel	115.760.ID.1	389.00
	Metal	Br SS	115.758.SN.5	236.00
		Br SS VR	115.787.SN.5	268.00
	Plastic	Polish Chr-Matte Chr-Polish Chr*	115.758.KH.5	175.00
		White-Polished Chrome-White*	115.758.KJ.5	122.00
		White-Polished Gold-White*	115.758.KK.5	349.00
		White-Matte Chr-Matte Chr*	115.758.KL.5	149.00
		Black-Polished Chrome-Black*	115.758.KM.5	149.00
		Matte Chr-Polish'd Chr-Matte Chr*	115.758.KN.5	175.00

Hands Free Actuators and Transformer, 2x4 Installation

Style	Material	Finish	Model No.	List Price
	Glass	Black (AC Power)	116.091.SG.1	\$1,364.00
		Mirror (AC Power)	116.091.SM.1	1,364.00
		Transformer for AC powered hands free actuator.	115.861.00.1	135.00

Dual-Flush Flush Buttons, 2x4 Installation

	Type 70	Metal	Br SS	115.635.FW.1	\$725.00
		Glass	White Glass	115.635.SI.1	615.00
			Black Glass	115.635.SJ.1	615.00
			Umber Glass	115.635.SQ.1	615.00

Single-Flush Flush Buttons, 2x4 Installation


	Square	Plastic	Alpine White	115.991.11.1	\$95.00
			Polish-Matte**	115.991.KA.1	144.00

Cover Plates for Sigma Concealed Tank, 2x4 Installation, for use with Flush Buttons

	Glass	White	115.766.SI.1	\$193.00
	Metal	Br SS	115.764.FW.1	242.00

Geberit Duofix Carrier, 2x4 Installation

Model No.	Description	List Price
111.728.00.1	Carrier frame with Sigma concealed tank, 2x4 Installation	\$646.00



NOTES:

1. Concealed tank shipped dual-flush ready
2. Geberit Duofix Carrier for 2-hole washdown style wall-hung toilet fixtures only
3. Refer to → geberit.us for latest list of Code approved Compatible toilet fixtures, including certified WaterSense combinations

* Finishes follow this pattern = Plate-Ring-Button

** Finishes follow this pattern = Frame-Button

*** Rough-in Set and Trim Set can be ordered separately. Both sets needed for installation.

† Note: For tiled walls only!

VR = Vandal Resistant

Br SS = Brushed Stainless Steel


Br Ni = Brushed Nickel

Geberit Installation Systems


Systems for Wall-Hung Toilets, 2x4 Installation

Optional Accessories for Geberit Duofix Carrier 111.728.00.1, 2x4 Installation

Mounting Accessories for Geberit Duofix Carrier Frames

Description	Model No.	List Price
 Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall corner installations	111.835.00.1	\$32.00
 Frame to wall anchoring where foot installations into floor are not allowed for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall	111.867.00.1	63.00
 Frame to wall anchoring extensions for 7.875"-15.75" (20-40 cm) thick (unfinished pre-wall	111.887.00.1	12.00
 Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall	242.048.00.1	20.00

Waste Fittings

 HDPE straight connector with socket for Ø3.50" (Ø90 mm) push fit piping and Ø3.50" (Ø90 mm) outlet x 12" (31 cm) long	366.887.16.1	\$32.00
 HDPE connector with offset for LH horizontal drain connections (as viewed from sitting position), 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping, with 45° offset and Ø3.50" (Ø90 mm) outlet for 5.5" (13.97 cm) minimum walls only.	366.913.16.1	69.00
 HDPE connector with offset for RH horizontal drain connections (as viewed from sitting position), 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping, with 45° offset and Ø3.50" (Ø90 mm) outlet for 5.5" (13.97 cm) minimum walls only.	366.914.16.1	69.00
 Cast iron outlet bend; 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping and 3" CIP outlet	367.071.18.1	143.00
 HDPE "Back-to-back" connector for horizontal drain connections; 2 x 90° bends with sockets for Ø3.50" (Ø90 mm) push fit piping, with 45° offset and expansion to Ø4.375" (Ø110 mm) outlet for 10.75" (27.31 cm) minimum walls only.	367.485.16.1	143.00
 HDPE "Back-to-back" connector for vertical drain connections; 2 x 90° bends with sockets for Ø3.50" (Ø90 mm) push fit piping and expansion to Ø4.375" (Ø110 mm) outlet for 10.75" (27.31 cm) minimum walls only.	367.923.16.1	143.00





Bowl Connection Sets and Accessories for Finished Walls up to 3.5" (9cm) Thick

Description	Model No.	List Price
 Connector set with mounting hardware (bowl installation kit), HDPE; Alpine White cover caps	152.404.11.1	\$40.00
 HDPE connection set with 1" (2.5 cm) offset and mounting hardware (bowl installation kit); with socket for Ø3.50" (Ø90 mm) push fit piping and Ø55 supply inlet; Matte Chrome cover caps	405.116.00.1	212.00
 Cover caps with leveling washer, Plastic, Alpine White	217.713.11.1	5.00
 Acoustic insulation set for wall-hung toilets and bidets	156.050.00.1	16.00

Bidet Seat Accessories for Geberit Duofix Carrier Frames


 Water supply hose for bidet seat for 111.728.00.1 carrier with Sigma Concealed Tank 2x4. For adding bidet seat to an installed carrier. For complete installation order with 249.801.00.1.	242.413.00.1	\$44.00
 Water supply hose for bidet seat for 111.355.00.5, 111.728.00.1, 111.255.00.1 and 111.012 carriers with Sigma Concealed Tanks 2x6 and 2x4 and Kappa and Omega Concealed Tanks. For adding bidet seat to an installed carrier.	249.801.00.1	\$103.00

Required Accessories for 3.50"-7.00" (9-18 cm) Finished Wall Thickness

 Mud guard protection housing for Sigma Concealed Tanks 2x6 and 2x4, Plastic	241.826.00.1	\$11.00
 Extension set for actuator plates for Sigma Concealed Tanks 2x6 and 2x4, Kappa and Omega Concealed Tanks	240.938.00.1	20.00
 HDPE Connector set for extended installation and mounting hardware (bowl installation kit), with socket for Ø3.50" (Ø90 mm) push fit piping and Ø2.16" (Ø55 mm) supply inlet; Matte Chrome cover caps	152.438.46.1	52.00
 Mounting rod M12 x 10" long. Not supplied.	By others	—

Replacement Parts for Geberit Duofix Carrier 111.728.00.1, 2x4 Installation

Item	Model No.	Description	List Price	Item	Model No.	Description	List Price
1	242.314.00.1	Materials for concealed carrier and tank installation	\$40.00	12	242.420.00.1	Conduit pipe for shower toilet water supply with Sigma Concealed Tank 2x4 (from 2010 to mid-2013)	\$6.00
2	242.418.00.1	Splash guard protection cover for Sigma Concealed Tank 2x4	6.00	12.1	242.888.00.1	Conduit pipe for shower toilet water supply with Sigma Concealed Tank 2x4 (from mid-2013 on)	10.00
3	241.826.00.1	Mud guard protection housing for Sigma Concealed Tank 2x4, Plastic	11.00	13	216.179.00.1	Installation Hardware	3.00
4	362.771.00.1	Seal for concealed flush pipe, EPDM	2.00	14	240.853.00.1	Supply angle Stop (black handle)	14.00
5	362.796.92.1	Protection plug, Plastic	5.00	14.1	240.851.00.1	Drop Ear Elbow, Copper	11.00
6	240.189.00.1	Threaded rod for wall-mounted toilet or bidet installation	4.00	15	242.415.00.1	Connection hose for Sigma Concealed Tank 2x4, 3/8"	16.00
7	152.404.46.1	Connector set with mounting hardware (bowl installation kit), HDPE; Matte Chrome cover caps	40.00	15.1	240.922.00.1	Seal kit for braided hose, EPDM O-Ring	9.00
7.1	217.713.46.1	Cover caps with leveling washer, Plastic, Matte Chrome	5.00	16	241.286.00.1	Fixation clip for filling valve	5.00
7.2	119.668.00.1	Seal for supply inlet tube, EPDM	2.00	17	241.469.00.1	Filling valve Type 380 for Sigma, Omega and Kappa Concealed Tanks	24.00
7.3	152.424.00.1	Seal for toilet outlet connector, EPDM	3.00	17.1	240.771.00.1	Seal kit for filling valve Type 380	11.00
8	241.899.00.1	HDPE waste fitting outlet bend, 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping and Ø3.50" (Ø90 mm) outlet	51.00	17.2	241.670.00.1	Nipple to filling valve Type 380 for Sigma Concealed Tank 2x4	16.00
8.1	387.282.00.1	Seal for outlet bends, EPDM	5.00	18	241.290.00.1	Dual-flush valve complete with valve seat basket for Sigma Concealed Tank 2x4	33.00
9	366.820.92.1	Protection plug, Plastic	4.00	18.1	242.416.00.1	Dual-flush valve for Sigma Concealed Tank 2x4	16.00
10	By others	Flexible Coupling FERNCO 3005-33	—	18.2	241.167.00.1	Yoke set for flush valves	9.00
11	242.012.00.1	Outlet pipe bracket (complete)	4.00	18.3	241.291.00.1	Flat gasket for flush valve for Sigma Concealed Tank 2x4	2.00
				18.4	241.292.00.1	Fixing rail to Sigma Concealed Tank 2x4	5.00
				19	242.269.00.1	Valve seat basket and noise bushing for flush valve	16.00
				19.1	241.293.00.1	U-cup seal for valve basket	4.00
				20	242.417.00.1	Flush actuator gear box	9.00
				21	242.414.00.1	Stop valve to concealed tank (blue handle)	17.00
				21.1	240.298.00.1	Spindle to angle stop valve	13.00
				21.2	240.347.00.1	Handle for angle stop valve (blue)	4.00



Geberit Installation Systems

Systems for Wall-Hung Toilets, Pre-Wall, 2x6 Installation

Dual-Flush Actuators, 2x6 Installation

Style	Material	Finish	Model No.	List Price
	Plastic	Matte Chrome/ Polished Chrome/Matte Chrome*	115.085.KN.1	\$240.00
		Polished Chrome/ Matte Chrome/Polished Chrome*	115.085.KH.1	240.00
		White/Matte Chrome/ Matte Chrome*	115.085.KL.1	196.00
		White/Polished Chrome/White*	115.085.KJ.1	177.00
		White/Gold-Plated/White*	115.085.KK.1	196.00
		Black/Polished Chrome/Black	115.085.KM.1	196.00
	Plastic	Matte Chrome/ Polished Chrome/Matte Chrome***	115.080.KN.1	240.00
		Polished Chrome/ Matte Chrome/Polished Chrome***	115.080.KH.1	240.00
		White/Matte Chrome/ Matte Chrome***	115.080.KL.1	196.00
		White/Polished Chrome/White***	115.080.KJ.1	177.00
		White/Gold-Plated/White***	115.080.KK.1	196.00
		Black/Polished Chrome/Black***	115.080.KM.1	196.00
	Metal	Brushed Chrome	115.081.GH.1	703.00
		White Glass/Aluminum	115.081.SI.1	703.00
	Glass	Black Glass/Aluminum	115.081.SJ.1	703.00
		Umber Glass/Aluminum	115.081.SQ.1	703.00
	Die Cast	Cover frame (when needed)		
		Brushed chrome	115.086.GH.1	200.00
		Polished chrome	115.086.21.1	200.00

Cover Plates for Omega Concealed Tank Pre-wall, 2x6 Installation for use with Flush Buttons

	Glass	White	115.082.SI.1	\$242.00
	Metal	Customizable	115.082.00.1	193.00


Dual-Flush Buttons, 2x6 Installation

Type 70 	Metal	Brushed Stainless Steel	115.084.FW.1	\$725.00
	Glass	White Glass	115.084.SI.1	615.00
		Black Glass	115.084.SJ.1	615.00
		Umber Glass	115.084.SQ.1	615.00
Half Moon	Plastic	Polished Chrome	115.999.21.1	144.00
				
Square 	Plastic	Alpine White	115.942.11.1	111.00
		Polished Chrome-Matte Chrome**	115.942.KA.1	144.00
Rectangle 	Plastic	Polished Chrome-Matte Chrome**	115.932.KA.1	144.00
	Die Cast	Brushed Chrome	115.932.GH.1	228.00

Geberit Duofix Carrier, 2x6 Installation

Model No.	Description	List Price
-----------	-------------	------------

111.012.00.1	Carrier frame with Omega concealed tank, pre-wall installations	\$557.00
--------------	---	----------



NOTES:

1. Concealed tank shipped dual-flush ready
2. Carrier for 2-hole washdown style wall-hung toilet fixtures only
3. Refer to → [geberit.us](#) for latest list of code approved compatible toilet fixtures, including certified WaterSense combinations


* Finishes follow this pattern = Plate-Ring-Button

** Finishes follow this pattern = Frame-Button



*** Finishes follow this pattern = Frame-Button Edge Trim-Button

Optional Accessories for Geberit Duofix Carrier 111.012.00.1, 2x6 Installation

Mounting Accessories for Geberit Duofix Carrier Frames

Description	Model No.	List Price
 Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall	111.815.00.1	\$32.00
 Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall corner installations	111.835.00.1	32.00
 Support brackets for wall-hung toilets with small contact surface (thin profiles)	111.847.00.1	42.00
 Frame to wall anchoring where foot installations into floor are not allowed for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall	111.867.00.1	63.00
 Frame to stud fastening set for extended stud spacing from 19.75"-25.56" (50-65 cm)	111.869.00.1	32.00
 Frame to wall anchoring extensions for 7.875"-15.75" (20-40 cm) thick unfinished pre-wall	111.887.00.1	12.00

Waste Fittings

 HDPE straight connector with socket for Ø3.50" (Ø90 mm) push fit piping and Ø3.50" (Ø90 mm) outlet x 12" (31 cm) long	366.887.16.1	\$32.00
 HDPE connector with offset for LH horizontal drain connections (as viewed from sitting position), 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping, with 45° offset and Ø3.50" (Ø90 mm) outlet for 5.5" (13.97 cm) minimum walls only.	366.913.16.1	69.00
 HDPE connector with offset for RH horizontal drain connections (as viewed from sitting position), 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping, with 45° offset and Ø3.50" (Ø90 mm) outlet for 5.5" (13.97 cm) minimum walls only.	366.914.16.1	69.00
 Cast iron outlet bend; 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping and 3" CIP outlet	367.071.18.1	143.00
 HDPE "Back-to-back" connector for horizontal drain connections; 2 x 90° bends with sockets for Ø3.50" (Ø90 mm) push fit piping, with 45° offset and expansion to Ø4.375" (Ø110 mm) outlet for 10.75" (27.31 cm) minimum walls only.	367.485.16.1	143.00
 HDPE "Back-to-back" connector for vertical drain connections; 2 x 90° bends with sockets for Ø3.50" (Ø90 mm) push fit piping and expansion to Ø4.375" (Ø110 mm) outlet for 10.75" (27.31 cm) minimum walls only.	367.923.16.1	143.00



Bowl Connection Sets and Accessories for Finished Walls up to 3.5" (9 cm) Thick

Description	Model No.	List Price
 Connector set with mounting hardware (bowl installation kit), HDPE; Alpine White cover caps	152.404.11.1	\$40.00
 HDPE connection set with 1" (2.5 cm) offset and mounting hardware (bowl installation kit); with socket for Ø3.50" (Ø90 mm) push fit piping and Ø55 supply inlet; Matte Chrome cover caps	405.116.00.1	212.00
 Cover caps with leveling washer, Plastic, Alpine White	217.713.11.1	5.00
 Acoustic insulation set for wall-hung toilets and bidets	156.050.00.1	16.00

Bidet Seat Accessory for Geberit Duofix Carrier Frames

 Water supply hose for bidet seat for 111.255.00.1 carrier with Kappa and 111.012 carrier with Omega Concealed Tank pre-wall. For adding bidet seat to an installed carrier. For complete installation order with 249.801.00.1.	240.839.00.1	\$53.00
 Water supply hose for bidet seat for 111.355.00.5, 111.728.00.1, 111.255.00.1 and 111.012 carriers with Sigma Concealed Tanks 2x6 and 2x4 and Kappa and Omega Concealed Tanks. For adding bidet seat to an installed carrier.	249.801.00.1	103.00


Required Accessories for 3.50"-7.00" (9-18 cm) Finished Wall Thickness

 Extension set for actuator plates for Sigma Concealed Tanks 2x6 and 2x4, Kappa and Omega Concealed Tanks	240.938.00.1	\$20.00
 HDPE Connector set for extended installation and mounting hardware (bowl installation kit), with socket for Ø3.50" (Ø90 mm) push fit piping and Ø2.16" (Ø55 mm) supply inlet; Matte Chrome cover caps	152.438.46.1	52.00
 Mounting rod M12 x 10" long. Not supplied.	By others	—

Systems for Wall-Hung Toilets, Pre-Wall, 2x6 Installation

Replacement Parts for Geberit Duofix Carrier 111.012.00.1, 2x6 Installation

Item	Model No.	Description	List Price	Item	Model No.	Description	List Price
1	240.269.00.1	Angle stop valve to concealed tank (blue handle)	\$17.00	12	362.771.00.1	Seal for concealed flush pipe, EPDM	\$2.00
1.1	240.298.00.1	Spindle to angle stop valve	13.00	13	362.796.92.1	Protection plug, Plastic	5.00
1.2	241.857.00.1	Counter nut, Plastic	4.00	14	242.012.00.1	Outlet pipe bracket (complete)	4.00
1.3	240.347.00.1	Handle for angle stop valve (blue)	4.00	15	152.404.46.1	Connector set with mounting hardware (bowl installation kit), HDPE; Alpine White cover caps	40.00
2	240.629.00.1	Reinforced braided hose for Geberit Kappa and Omega concealed cistern)	21.00	15.1	217.713.46.1	Cover caps with leveling washer, Plastic, Matte Chrome	5.00
2.1	240.922.00.1	Seal kit for braided hose, EPDM O-Ring	9.00	16	242.314.00.1	Materials for concealed carrier and tank installation	40.00
3	243.088.00.1	Mounting bracket for filling valve	6.00	17	366.061.16.1	HDPE waste fitting outlet bend, 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping and Ø3.50" (Ø90 mm) outlet	20.00
4	241.469.00.1	Fill valve Type 380	24.00	17.1	387.282.00.1	Seal for outlet bends, EPDM	5.00
4.1	240.771.00.1	Seal kit for filling valve Type 380	11.00	18	366.820.92.1	Protection plug, Plastic	4.00
5	243.090.00.1	Protection plate	59.00	19	240.189.00.1	Threaded rod for wall-mounted toilet or bidet installation	4.00
6	243.091.00.1	Support block	18.00	20	242.886.00.1	Conduit pipe for shower toilet water supply with Sigma Concealed Tank 2x6, Omega Concealed Tank or Kappa concealed tank (from 2013 on)	10.00
7	243.092.00.1	Mud guard protection housing	27.00	21	111.892.00.1	Frame mounting screws for steel stud construction, Galvanized; self-tapping	4.00
8	243.093.00.1	Insertion plate	8.00				
9	243.094.00.1	Flush valve complete with valve seat basket	39.00				
10	243.095.00.1	Dual-Flush valve	32.00				
10.1	241.167.00.1	Handle set to flush valve	9.00				
10.2	816.418.00.1	Flat gasket for flush valve	2.00				
11	243.096.00.1	Valve seat basket and noise bushing for flush valve	11.00				
11.1	243.139.00.1	Throttle for basket	7.00				
11.2	241.868.00.1	U-cup seal for valve basket after 2008	2.00				



Systems for Wall-Hung Toilets, Pre-Wall, 6¾" Cavity Installation

Dual-Flush Actuators for Inactive Kappa Concealed Tank Pre-wall, 6¾" Cavity Installation

Style	Material	Finish	Model No.	List Price
	Metal	Br SS	115.258.00.1	\$236.00
		Die Cast		
		Alpine White	115.260.11.1	236.00
	Plastic	Polished Chrome	115.260.21.1	236.00
		Matte Chrome	115.260.46.1	236.00
		Alpine white	115.228.11.1	98.00
	Plastic	Polished chrome	115.228.21.1	133.00
		Matte Chrome	115.228.46.1	133.00

Cover Plates for Inactive Kappa Concealed Tank Pre-wall, 6¾" Cavity Installation for use with Flush Buttons


	Plastic	Alpine White	115.680.11.1	\$88.00
		Polished Chrome	115.680.21.1	119.00

Dual-Flush Buttons, 2x6 and 6¾" Cavity Installation

	Half Moon	Plastic	Polished Chrome	115.999.21.1	\$144.00
	Square	Plastic	Alpine White	115.942.11.1	111.00
			Polished Chrome-Matte Chrome**	115.942.KA.1	144.00
	Rectangle	Plastic	Polished Chrome-Matte Chrome**	115.932.KA.1	144.00
		Die Cast	Brushed Chrome	115.932.GH.1	228.00

Inactive Geberit Duofix Carrier, 6¾" Cavity Installation

Model No.	Description	List Price
111.255.00.1	Inactive Carrier frame with Omega concealed tank, pre-wall installations	\$557.00



NOTES:

1. Concealed tank shipped dual-flush ready
2. Carrier for 2-hole washdown style wall-hung toilet fixtures only
3. Refer to → geberit.us for latest list of code approved compatible toilet fixtures, including certified WaterSense combinations

* Finishes follow this pattern = Plate-Ring-Button

** Finishes follow this pattern = Frame-Button


*** Finishes follow this pattern = Frame-Button Edge Trim-Button

Geberit Installation Systems



Systems for Wall-Hung Toilets, Pre-Wall, 2x6 Installation

Optional Accessories for Inactive Geberit Duofix Carrier 111.255.00.1, 2x6 Installation

Mounting Accessories for Geberit Duofix Carrier Frames

Description	Model No.	List Price
 Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall	111.815.00.1	\$32.00
 Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall corner installations	111.835.00.1	32.00
 Support brackets for wall-hung toilets with small contact surface (thin profiles)	111.847.00.1	42.00
 Frame to wall anchoring where foot installations into floor are not allowed for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall	111.867.00.1	63.00
 Frame to stud fastening set for extended stud spacing from 19.75"-25.56" (50-65 cm)	111.869.00.1	32.00
 Frame to wall anchoring extensions for 7.875"-15.75" (20-40 cm) thick unfinished pre-wall	111.887.00.1	12.00

Waste Fittings

	HDPE straight connector with socket for Ø3.50" (Ø90 mm) push fit piping and Ø3.50" (Ø90 mm) outlet x 12" (31 cm) long	366.887.16.1	\$32.00
	HDPE connector with offset for LH horizontal drain connections (as viewed from sitting position), 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping, with 45° offset and Ø3.50" (Ø90 mm) outlet for 5.5" (13.97 cm) minimum walls only.	366.913.16.1	69.00
	HDPE connector with offset for RH horizontal drain connections (as viewed from sitting position), 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping, with 45° offset and Ø3.50" (Ø90 mm) outlet for 5.5" (13.97 cm) minimum walls only.	366.914.16.1	69.00
	Cast iron outlet bend; 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping and 3" CIP outlet	367.071.18.1	143.00
	HDPE "Back-to-back" connector for horizontal drain connections; 2 x 90° bends with sockets for Ø3.50" (Ø90 mm) push fit piping, with 45° offset and expansion to Ø4.375" (Ø110 mm) outlet for 10.75" (27.31 cm) minimum walls only.	367.485.16.1	143.00
	HDPE "Back-to-back" connector for vertical drain connections; 2 x 90° bends with sockets for Ø3.50" (Ø90 mm) push fit piping and expansion to Ø4.375" (Ø110 mm) outlet for 10.75" (27.31 cm) minimum walls only.	367.923.16.1	143.00



Bowl Connection Sets and Accessories for Finished Walls up to 3.5" (9 cm) Thick

Description	Model No.	List Price
 Connector set with mounting hardware (bowl installation kit), HDPE; Alpine White cover caps	152.404.11.1	\$40.00
 HDPE connection set with 1" (2.5 cm) offset and mounting hardware (bowl installation kit); with socket for Ø3.50" (Ø90 mm) push fit piping and Ø55 supply inlet; Matte Chrome cover caps	405.116.00.1	212.00
 Cover caps with leveling washer, Plastic, Alpine White	217.713.11.1	5.00
 Acoustic insulation set for wall-hung toilets and bidets	156.050.00.1	16.00

Bidet Seat Accessory for Geberit Duofix Carrier Frames


	Water supply hose for bidet seat for 111.255.00.1 carrier with Kappa and 111.012 carrier with Omega Concealed Tank pre-wall. For adding bidet seat to an installed carrier. For complete installation order with 249.801.00.1.	240.839.00.1	\$53.00
	Water supply hose for bidet seat for 111.355.00.5, 111.728.00.1, 111.255.00.1 and 111.012 carriers with Sigma Concealed Tanks 2x6 and 2x4 and Kappa and Omega Concealed Tanks. For adding bidet seat to an installed carrier.	249.801.00.1	103.00

Required Accessories for 3.50"-7.00" (9-18 cm) Finished Wall Thickness

	Extension set for actuator plates for Sigma Concealed Tanks 2x6 and 2x4, \$ Kappa and Omega Concealed Tanks	240.938.00.1	\$20.00
	HDPE Connector set for extended installation and mounting hardware (bowl installation kit), with socket for Ø3.50" (Ø90 mm) push fit piping and Ø2.16" (Ø55 mm) supply inlet; Matte Chrome cover caps	152.438.46.1	52.00
	Mounting rod M12 x 10" long. Not supplied.	By others	—

Replacement Parts for Inactive Geberit Duofix Carrier 111.255.00.1, 2x6 Installation

Item	Model No.	Description	List Price	Item	Model No.	Description	List Price
1	242.316.00.1	Splash guard protection cover for Kappa concealed tank	\$6.00	14	152.404.46.1	Connector set with mounting hardware (bowl installation kit), HDPE; Matte Chrome cover caps	\$40.00
2	240.172.00.1	Mud guard protection housing for Kappa concealed tank, Plastic; Comes standard	24.00	14.1	217.713.46.1	Cover caps with leveling washer, Plastic, Matte Chrome	5.00
3	240.533.00.1	Flush actuator gear box	12.00	14.2	119.668.00.1	Seal for supply inlet tube, EPDM	2.00
4	240.853.00.1	Supply angle Stop (black handle)	14.00	14.3	152.424.00.1	Seal for toilet outlet connector, EPDM	3.00
4.1	240.851.00.1	Drop Ear Elbow, Copper	11.00	15	366.061.16.1	HDPE waste fitting outlet bend, 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping and Ø3.50" (Ø90 mm) outlet	20.00
4.2	242.317.00.1	Adapter	14.00	15.1	387.282.00.1	Seal for outlet bends, EPDM	5.00
5	241.469.00.1	Filling valve Type 380 for Sigma and Kappa concealed tanks	24.00	16	366.820.92.1	Protection plug, Plastic	4.00
5.1	240.771.00.1	Seal kit for filling valve Type 380	11.00	17	240.782.00.1	Flexible Coupling for pipes	62.00
6	240.629.00.1	Connection hose for Kappa concealed tank	21.00	18	111.892.00.1	Frame mounting screws for steel stud construction, Galvanized; self-tapping	4.00
6.1	240.922.00.1	Seal kit for braided hose, EPDM O-Ring	9.00	19	242.314.00.1	Installation materials for concealed carrier and tank	40.00
7	240.637.00.1	Dual-flush valve complete with valve seat basket for UP200	35.00	20	240.269.00.1	Angle stop valve to concealed tank (Blue handle)	17.00
8	240.638.00.1	Dual-flush valve for Kappa concealed tank	24.00	20.1	240.298.00.1	Spindle to angle stop valve	13.00
8.1	816.418.00.1	Flat gasket for flush valve	2.00	20.2	240.347.00.1	Handle for angle stop valve (Blue)	4.00
9	241.859.00.1	Valve seat basket and noise bushing for flush valve	10.00	20.3	241.857.00.1	Counter nut, Plastic	4.00
9.1	241.868.00.1	U-cup seal for valve basket	2.00	21	242.009.00.1	Conduit pipe for shower toilet water supply with Kappa concealed tank (from 2009 to mid-2013)	10.00
10	362.771.00.1	Seal for concealed flush pipe, EPDM	2.00	22	242.886.00.1	Conduit pipe for shower toilet water supply with Sigma Concealed Tank 2x6, Omega Concealed Tank or Kappa concealed tank (from 2013 on)	10.00
11	362.796.92.1	Protection plug, Plastic	5.00				
12	240.189.00.1	Threaded rod for wall-mounted toilet or bidet installation	4.00				
13	242.012.00.1	Outlet pipe bracket (complete)	4.00				




Geberit Installation Systems

Systems for Wall-Hung Lavatories

Geberit Duofix Carrier

Model No.	Description	List Price
-----------	-------------	------------

111.490.00.1	Carrier frame, short height (matches 111.255.00.1)	\$307.00
--------------	--	----------



- NOTES:
1. Geberit Duofix Carrier for 2-hole wall-hung lavatory fixtures only
 2. Refer to → geberit.us for latest list of Code approved Compatible lavatory fixtures

Optional Accessories

Mounting Accessories for Geberit Duofix Carrier Frames

Description	Model No.	List Price
Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall	111.815.00.1	\$32.00
Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall corner installations	111.835.00.1	32.00
Frame to wall anchoring where foot installations into floor are not allowed for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall	111.867.00.1	63.00
Fastening set for sinks with 14.9"-22.8" (38-58 cm) mounting centers	111.868.00.1	107.00
Frame to stud fastening set for extended stud spacing from 19.75"-25.56" (50-65 cm)	111.869.00.1	32.00
Frame to wall anchoring extensions for 7.875"-15.75" (20-40 cm) thick unfinished pre-wall	111.887.00.1	12.00
Elbow supply fitting set, Gun Metal	465.034.00.1	35.00

Lavatory Connection Accessories

Cover caps with leveling washer, Plastic, Alpine White	217.713.11.1	\$5.00
--	--------------	--------


Required Accessories for 3.50"-7.00" (9-18 cm) Finished Wall Thickness

Mounting rod M10 x 10" long.	By others	—
Not supplied.		

Replacement Parts for Geberit Duofix Carrier 111.490.00.1

Item	Model No.	Description	List Price
------	-----------	-------------	------------

1	241.803.00.1	Crossbar for deck-mounted faucet	\$14.00
2	241.805.00.1	Pipe bracket for outlet bend	12.00
3	241.067.16.1	Outlet bend – 90 degrees	12.00
4	152.682.00.1	Standard Outlet Seal, EPDM, push on for Ø1.97" (Ø50 mm) tube	3.00
	152.796.00.1	Outlet Seal, EPDM Ø1.97"/Ø1.57" (Ø50/40 mm)	3.00
5	111.892.00.1	Frame mounting screws for steel stud construction, Galvanized; self-tapping	4.00
6	241.059.00.1	Threaded rod for wall-mounted washbasin	14.00



Systems for Wall-Hung Urinals

Actuators


Style	Material	Finish	Model No.	List Price
	Die Cast	Customer supplied inlay	116.016.00.5	\$511.00
		Alpine White	116.016.11.5	511.00
		Black	116.016.DW.5	511.00
		Brushed Chrome	116.016.GH.5	707.00
	Metal	Br SS	116.015.SN.1	348.00
	Plastic	Alpine White	116.012.11.1	302.00
		Polished Chrome	116.012.21.1	302.00

Hands Free Actuators

	Metal	Br SS (Battery/DC Power)	116.035.SN.1	\$808.00
		Br SS (AC Power – CLASS 2 power supply transformer included)	116.025.SN.1	808.00

Geberit Duofix Carrier

Model No.	Description	List Price
111.625.00.1	Carrier frame with rough-in box	\$557.00




NOTES:


- Carrier for 2-hole "Euro" style wall-hung urinal fixtures only
- ASSE 1001 Certified Atmospheric Vacuum Breaker included.
- Refer to → geberit.us for latest list of Code approved Compatible urinal fixtures

Optional Accessories


Mounting Accessories for Geberit Duofix Carrier Frames

Description	Model No.	List Price
 Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall	111.815.00.1	\$32.00
 Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall corner installations	111.835.00.1	32.00
 Frame to wall anchoring where foot installations into floor are not allowed for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall	111.867.00.1	63.00
 Frame to stud fastening set for extended stud spacing from 19.75"-25.56" (50-65 cm)	111.869.00.1	32.00
 Frame to wall anchoring extensions for 7.875"-15.75" (20-40 cm) thick unfinished pre-wall	111.887.00.1	12.00

Urinal Connection Sets and Accessories

	PE syphon trap with horizontal outlet and seal; Ø1.96" (Ø50 mm) outlet	152.983.00.1	\$33.00
	PE syphon trap with vertical outlet and seal; Ø1.97" (Ø50 mm) outlet	152.984.00.1	33.00


Required Accessories for 3.50"-7.00" (9-18 cm) Finished Wall Thickness

	Mud guard protection housing and extension set for urinal carrier	241.930.00.1	\$17.00
	Mounting rod M8 x 10" long. Not supplied.	By others	—

Systems for Wall-Hung Urinals

Replacement Parts for Geberit Duofix Carrier 111.625.00.1


Item	Model No.	Description	List Price	Item	Model No.	Description	List Price
1	242.039.00.1	Crossbar for water supply	\$70.00	7	853.614.92.1	Protection plug	5.00
1.1	362.790.00.1	Round cord ring, EPDM	2.00	8	240.315.00.1	Waste fitting outlet bend, PE; 1 x 90° bend with Ø2.48"/Ø1.97" (Ø63/Ø50 mm)	24.00
2	152.489.16.1	Supply inlet tube with seal, PE; with Ø1.34" (Ø35 mm) supply inlet	26.00	8.1	152.693.00.1	Seal for connector, EPDM; for Ø1.97" (Ø50 mm) outlet	3.00
2.1	119.669.00.1	Sleeve, EPDM	3.00	9	242.516.00.1	Outlet pipe Ø1.97" (Ø50 mm) Terrain article no. 225.2G	24.00
3	242.045.00.1	Fixing, with plastic nuts, complete	14.00	10	111.892.00.1	Frame mounting screws for steel stud construction, Galvanized; self-tapping	4.00
3.1	242.046.00.1	Plastic union nuts for crossbar for fixing	11.00	11	241.930.00.1	Mud guard protection housing and extension set for urinal carrier	17.00
4	240.027.46.1	Cover caps, Plastic, Matte Chrome	6.00	12	242.131.00.1	Elbow, 90° (Not shown)	60.00
5	242.047.00.1	Outlet Cross Member	27.00				
6	152.983.00.1	Syphonic trap with horizontal outlet and seal, PE; with Ø1.97" (Ø50 mm) outlet	\$33.00				




Systems for Wall-Hung Bidets

Geberit Duofix Carriers

Model No.	Description	List Price
111.520.00.1	Carrier frame, standard height	\$557.00



111.524.00.1	Carrier frame, short height (matches 111.255.00.1)	\$557.00
--------------	--	----------



NOTES:

1. Geberit Duofix Carrier for 2-hole wall-hung bidet fixtures only
2. Refer to → geberit.us for latest list of Code approved Compatible bidet fixtures

Optional Accessories

Mounting Accessories for Geberit Duofix Carrier Frames

Description	Model No.	List Price
Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall	111.815.00.1	\$32.00
Frame to wall anchoring for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall corner installations	111.835.00.1	32.00
Frame to wall anchoring where foot installations into floor are not allowed for 5.125"-7.875" (13-20 cm) thick unfinished pre-wall	111.867.00.1	63.00
Frame to stud fastening set for extended stud spacing from 19.75"-25.56" (50-65 cm)	111.869.00.1	32.00
Frame to wall anchoring extensions for 7.875"-15.75" (20-40 cm) thick unfinished pre-wall	111.887.00.1	12.00
Elbow supply fitting set, Gun Metal	465.034.00.1	35.00

Bowl Connection Accessories

Acoustic insulation set for wall-hung toilets and bidets	156.050.00.1	\$16.00
Cover caps with leveling washer, Plastic, Alpine White	217.713.11.1	5.00

Required Accessories for 3.50"-7.00" (9-18 cm) Finished Wall Thickness


Mounting rod M12 x 10" long. Not supplied.	By others	—
---	-----------	---

Systems for Wall-Hung Bidets


Replacement Parts for Geberit Duofix Carriers 111.520.00.1 and 111.524.00.1

Item	Model No.	Description	List Price	Item	Model No.	Description	List Price
1	111.892.00.1	Frame mounting screws for steel stud construction, Galvanized; self-tapping	\$4.00	5	240.306.00.1	Protection plug, Ø1.26" (Ø32 mm)	\$2.00
2	241.066.00.1	Pipe Mounting Bracket	14.00	6	240.189.00.1	Threaded rod for wall-mounted toilet or bidet installation	4.00
3	241.067.16.1	Outlet bend – 90 degrees	12.00	7	217.713.46.1	Cover caps with leveling washer, Plastic, Matte Chrome	5.00
4	152.682.00.1	Outlet Seal, EPDM, push on for Ø1.97" (Ø50 mm) tube	3.00				


111.520.00.1



111.524.00.1



Geberit Flushing System



Safely hidden behind the wall, Geberit's in-wall technology creates clean lines to show unique beauty from floor to ceiling. The concealed tank with actuator in-wall technology enables plumbing fixtures to be mounted without the cumbersome tank – providing a clean, refined look that enhances design.

"Behind-the-wall" does not mean "out of reach." The fill and flush valves and the supply stop are hidden from sight, yet these components are easily accessible through elegant actuator flush panels from Geberit for tool-free maintenance.

Available in single- and dual-flush options.

Systems for Floor Mounted, Back Outlet Toilets, 2x6 Installation

Dual-Flush Actuators, 2x6 Installation

Style	Material	Finish	Model No.	List Price
	Plastic	Alpine White	115.777.11.1	\$113.00
		Polished Chrome	115.777.21.1	146.00
		Matte Chrome	115.777.46.1	146.00
	Plastic	Alpine White	115.770.11.5	83.00
		Polished Chrome	115.770.21.5	113.00
		Matte Chrome	115.770.46.5	113.00
	Metal	Br Ni-Polish Chrome-Br Ni*	115.778.ID.1	232.00
		Br SS-Polish Chrome-Br SS*	115.778.SN.1	233.00
		Br Ni-Polish Chrome-Br Ni* VR	115.781.ID.1	268.00
		Br SS-Polish Chrome-Br SS* VR	115.781.SN.1	268.00
	Plastic	Polish Chr-Matte Chr-Polish Chr*	115.778.KH.1	172.00
		White-Polish Chrome-White*	115.778.KJ.1	119.00
		White-Polished Gold-White*	115.778.KK.1	551.00
		White-Matte Chr-Matte Chr*	115.778.KL.1	147.00
		Black-Polish Chrome-Black*	115.778.KM.1	147.00
		Matte Chr-Polish Chr-Matte Chr*	115.778.KN.1	172.00
	Die Cast	Customer supplied inlay	115.788.00.5	344.00
		Alpine White	115.788.11.5	344.00
		Black	115.788.DW.5	344.00
		Brushed Chrome	115.788.GH.5	444.00
		Smoke Glass	115.788.SD.5	444.00
		Green Satin Glass	115.788.SE.5	444.00
	Die Cast	Umber Glass	115.788.SQ.5	444.00
		Complete Rough-in and Trim Set	115.792.GH.1	573.00
		Rough-In Set***	115.795.21.1	172.00
		Brushed Chrome Trim Set***	115.796.GH.1	401.00
	Die Cast	Customizable	115.620.00.1	485.00
	Metal	Br SS	115.620.FW.1	644.00
		White Glass	115.620.SI.1	567.00
		Black Glass	115.620.SJ.1	567.00
		Umber Glass	115.620.SQ.1	567.00

Single-Flush Actuators, 2x6 Installation

	Die Cast	Alpine White	115.760.11.1	\$231.00
		Polished Chrome	115.760.21.1	231.00
		Matte Chrome	115.760.46.1	231.00
		Pergamon	115.760.EP.1	229.00
		Satinox	115.760.GM.1	339.00
		Palladium	115.760.HC.1	559.00
		Oil Rubbed Bronze	115.760.HM.1	389.00
		ForeverShine™ PVD Polish'd Nickel	115.760.IB.1	389.00
		ForeverShine™ PVD Brush'd Nickel	115.760.ID.1	389.00
	Metal	Polished Chrome-Matte Chrome**	115.760.KA.1	236.00
		Br SS	115.758.SN.5	236.00
	Plastic	Br SS VR	115.787.SN.5	268.00
		Polish Chr-Matte Chr-Polish Chr*	115.758.KH.5	175.00
		White-Polish Chrome-White*	115.758.KJ.5	122.00
		White-Polished Gold-White*	115.758.KK.5	349.00
		White-Matte Chr-Matte Chr*	115.758.KL.5	149.00
		Black-Polish Chrome-Black*	115.758.KM.5	149.00
		Matte Chr-Polish Chr-Matte Chr*	115.758.KN.5	175.00

Hands Free Actuators and Transformer, 2x6 Installation

	Metal	Br SS (AC Power)	115.890.SN.5	\$808.00
		Br SS (Battery/DC Power)	115.891.SN.5	808.00
	Glass	Single-Flush		
		Dual-Flush		
	Transformer for AC powered hands free actuator.	Black (AC Power)	116.090.SG.1	1,364.00
		Mirror (AC Power)	116.090.SM.1	1,364.00
	Transformer for AC powered hands free actuator.			

Dual-Flush Flush Buttons, 2x6 Installation

Style	Material	Finish	Model No.	List Price
Type 70 	Metal	Br SS	115.630.FW.1	\$725.00
	Glass	White Glass	115.630.SI.1	615.00
		Black Glass	115.630.SJ.1	615.00
		Umber Glass	115.630.SQ.1	615.00
Round 	Plastic	Polished Chrome	115.999.21.1	144.00
Square 	Plastic	Alpine White	115.942.11.1	111.00
		Polished Chrome-Matte Chrome**	115.942.KA.1	144.00
Rectangle 	Plastic	Polish Chrome-Matte Chrome**	115.932.KA.1	144.00
	Metal	Brushed Chrome	115.932.GH.1	228.00

Single-Flush Flush Buttons, 2x6 Installation


	Plastic	Alpine White	115.114.11.1	\$95.00
		Polished Chrome	115.114.21.1	111.00
	Metal	Br SS	115.114.FW.1	228.00
	Plastic	Alpine White	115.941.11.1	95.00
		Polished Chrome-Matte Chrome**	115.941.KA.1	144.00

Cover Plates for Sigma Concealed Tank, 2x6 Installation, for use with Flush Buttons

	Glass	White	115.766.SI.1	\$193.00
	Metal	Br SS	115.764.FW.1	242.00

Concealed Tank, 2x6 Installation

Model No.	Description	List Price
109.304.00.5	Sigma Concealed Tank 2x6 Installation	\$381.00



NOTES:

1. Concealed tank shipped dual-flush ready
2. Tank for floor-mounted, back outlet washdown style toilet fixtures only
3. Refer to → geberit.us for latest list of code approved compatible toilet fixtures, including certified WaterSense combinations

* Finishes follow this pattern = Plate-Ring-Button

** Finishes follow this pattern = Frame-Button

*** Rough-in Set and Trim Set can be ordered separately. Both sets needed for installation.

† Note: For tiled walls only!


VR = Vandal Resistant

Br SS = Brushed Stainless Steel

Br Ni = Brushed Nickel



Optional Accessories for Geberit Sigma Concealed Tank 109.304.00.5, 2x6 Installation

Waste Fitting Discharge Configurations





A. Floor-Mount Rear Discharge into Wall
B. Floor-Mount Rear Discharge into Floor

Waste Fittings (Note: Mounting collar/clamp by installer)

Description	Model No.	List Price
 (For A discharge)	366.061.16.1	\$20.00
 (For A discharge)	366.913.16.1	69.00
 (For A discharge)	366.914.16.1	69.00
 (For A discharge)	367.071.18.1	143.00
 (For A discharge)	367.485.16.1	143.00
 (For A or B discharge)	367.923.16.1	143.00
 (For A or B discharge)	152.647.00.1	107.00


Required Accessories for 3.50\"–7.00\" (9–18 cm) Finished Wall Thickness

	Mud guard protection housing for Sigma Concealed Tanks 2x6 and 2x4, Plastic	241.826.00.1	\$11.00
	Extension set for actuator plates for Sigma Concealed Tanks 2x6 and 2x4, Kappa and Omega Concealed Tanks	240.938.00.1	20.00
	HDPE Connector set for extended installation and mounting hardware (bowl installation kit), with socket for Ø3.50\" (Ø90 mm) push fit piping and Ø2.16\" (Ø55 mm) supply inlet; Matte Chrome cover caps	152.438.46.1	52.00

Systems for Floor Mounted, Back Outlet Toilets, 2x6 Installation

Replacement Parts for Geberit Sigma Concealed Tank 109.304.00.5, 2x6 Installation

Item	Model No.	Description	List Price	Item	Model No.	Description	List Price
1	240.923.00.1	Fixation clip for filling valve	\$6.00	9	362.771.00.1	Seal for concealed flush pipe, EPDM	\$2.00
2	241.469.00.1	Filling valve Type 380 for Sigma, Omega and Kappa Concealed Tanks	24.00	10	362.796.92.1	Protection plug, Plastic	5.00
2.1	240.771.00.1	Seal kit for filling valve Type 380	11.00	11	240.921.00.1	Connection hose for Sigma Concealed Tank, 3/8"	14.00
3	241.858.00.1	Dual-flush valve complete with valve seat basket	21.00		241.854.00.1	Connection hose for Sigma Concealed Tank, 3/8" – dezincification resistant	21.00
4	240.622.00.1	Dual-flush valve for Sigma Concealed Tank	12.00	11.1	240.922.00.1	Seal kit for braided hose, EPDM O-Ring	9.00
4.1	241.167.00.1	Yoke set for flush valves	9.00	12	240.853.00.1	Supply angle Stop (black handle)	14.00
4.2	816.418.00.1	Flat gasket for flush valve	2.00	12.1	240.851.00.1	Drop Ear Elbow, Copper	11.00
5	241.859.00.1	Valve seat basket and noise bushing for flush valve	10.00	13	152.404.46.1	Connector set with mounting hardware (bowl installation kit), HDPE; Matte Chrome cover caps	40.00
5.1	241.868.00.1	U-cup seal for valve basket	2.00	13.1	217.713.46.1	Cover caps with leveling washer, Plastic, Matte Chrome	5.00
6	241.826.00.1	Mud guard protection housing for Sigma Concealed Tanks 2x6 and 2x4, Plastic	11.00	13.2	119.668.00.1	Seal for supply inlet tube, EPDM	2.00
7	242.315.00.1	Splash guard protection cover for Sigma Concealed Tank 2x6	6.00	13.3	152.424.00.1	Seal for toilet outlet connector, EPDM	3.00
8	241.829.00.1	Flush actuator gear box	6.00				




Filling and Flushing Valves


Replacement Parts for Filling Valves Type 380 and Type 360

Filling valve Type 380		Filling valve Type 360		
Item	Model No.	Description		List Price
1	240.700.00.1	Filling valve Type 380 for exposed tanks (replacement)		\$24.00
2	241.469.00.1	Filling valve Type 380 for concealed tanks		24.00
3	241.470.00.1	Filling valve Type 380 for tanks w/refill (replacement)		27.00
4	240.771.00.1	Seal kit for filling valve Type 380		11.00
	5	271.227.00.1	Filling valve Type 360 15/16" UNF w/o refill for exposed tanks (replacement)	51.00
	6	241.813.00.1	Seal kit for filling valve Type 360	11.00

Filling Valve Type 380



Filling Valve Type 360




Filling and Flushing Valves

Replacement Parts for Flushing Valves Type 280 and Type 250*


Flushing valve Type 280* Dual-flush	Flushing valve Type 280* Single-flush	Flushing valve Type 250*† Dual-flush			
Item			Model No.	Description	List Price
1	1	1	816.418.00.1	Flat gasket for flush valve	\$2.00
2	2		813.812.00.1	Gasket	9.00
3			241.800.KD.1	Flushing valve Type 280* actuator button, dual-flush	12.00
4			282.350.KD.1	Flushing valve Type 280* dual-flush valve (replacement)	51.00
	5		241.820.21.1	Flushing valve Type 280* actuator button, single-flush	12.00
	6		282.050.21.1	Flushing valve Type 280* single-flush valve (replacement)	51.00

* Formerly called Impuls280 and Impuls250. Note: Impuls was previously known as Twico.
† For Flushing valve Type 250*, the only spare part available is item #1. If other parts are needed, a complete Flushing valve Type 280* (item #4) must be ordered.


Flushing Valve Type 280* Dual-flush




Flushing Valve Type 280* Single-flush



Flushing Valve Type 250*† Dual-flush



Geberit Actuator Parts



Flush Plate and Push Button Actuators

Replacement Parts for Samba, Twist, Bolero, Sigma01, Sigma20 and Sigma50 Actuators


115.770115.780115.777115.788115.788115.770115.778115.781

Actuator Dimensions: All Sigma and Bolero models 9.7" x 6.5" (24.6 cm x 16.4 cm)

Item	115.770	115.780	115.777	115.788	115.788	115.770	115.778	115.781	Model No.	Description	List Price
1	1	1	1	1	1	1	1	1	240.935.00.1	Mounting Frame	\$31.00
2	2	2	2	2	2	2	2	2	241.875.00.1	Actuator bolt and rod kit	12.00
3	3	3	3	3	3	3	3	3	240.938.00.1	Extension set for actuator plates for Sigma Concealed Tanks 2x6, 2x4, Kappa and Omega Concealed Tanks	20.00
4	4	4							813.514.00.1	Spring for actuator plate	2.00
				5	5				241.295.00.1	Spring for actuator plate, 10 pcs	9.00
6	6	6	6	6	6	6	6	6	241.873.00.1	Conversion kit for tool-free assembly (converts units manufactured prior to 04.01.2008)	27.00
6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	6.1	241.874.00.1	Actuator bolt and rod kit, Tool-free assembly	11.00
6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	6.2	241.876.00.1	Mounting Frame, Tool-free assembly	15.00
7				7	7				240.698.00.1	AV screws Twist plate + allen key set-2	40.00
8				8	8				241.877.00.1	Fastening set for mounting frame, Tool-free assembly	49.00


115.770 , 115.780, 115.777, 115.788, 115.770, 115.778, 115 781

GEBERIT ACTUATOR PARTS




Replacement Parts for Mambo, Rumba, Tango, Sigma01 and Sigma10 Actuators

115.760 115.750 115.751 115.758 115.758 115.787 Actuator Dimensions: All Sigma and Tango models 9.7" x 6.5" (24.6 cm x 16.4 cm)



Item	1	2	3	4	5	Model No.	Description	List Price
1	1	1	1	1	1	240.935.00.1	Mounting Frame	\$31.00
2	2	2	2	2	2	241.875.00.1	Actuator bolt and rod kit	12.00
3	3	3	3	3	3	240.938.00.1	Extension set for actuator plates for Sigma Concealed Tanks 2x6, 2x4, Kappa and Omega Concealed Tanks	20.00
4	4	4	4	4	4	813.514.00.1	Spring for actuator plate	2.00
5	5	5	5	5	5	241.873.00.1	Conversion kit for tool-free assembly (converts units manufactured prior to 04.01.2008)	27.00
5.1	5.1	5.1	5.1	5.1	5.1	241.874.00.1	Actuator bolt and rod kit, Tool-free assembly	11.00
5.2	5.2	5.2	5.2	5.2	5.2	241.876.00.1	Mounting Frame, Tool-free assembly	15.00
					5.3	241.878.00.1	Rocker mounting Mambo, toolfree. From 2008	11.00
6		6				241.093.00.1	Fastening for cover plate UP300 set-2	16.00
7		7				241.877.00.1	Fastening set for mounting frame, Tool-free assembly	49.00

115.760, 115.750, 115.751, 115.758, 115.787



Flush Plate and Push Button Actuators


Replacement Parts for Sigma60 Actuators

115.795/115.796/115.792

Actuator Dimensions: 8.7" x 5.5" (22.1 cm x 13.9 cm)




Item	Model No.	Description	List Price
1	242.583.00.1	Protection Plate	\$13.00
2	242.576.00.1	Protection Box	17.00
3	242.582.00.1	Mounting Frame with Compensation Frame	110.00
3.1	242.584.00.1	Compensation Frame	79.00
4	242.579.00.1	Protection Box Compensation Frame	24.00
5	115.796.GH.1	Brushed Chrome Trim Set	401.00
5.1	813.514.00.1	Spring for actuator plate	2.00
5.2	242.920.00.1	Stopper pin for Omega60/Sigma60 Set-2	5.00
6	242.588.00.1	Actuator rod set	19.00




Replacement Parts for Sigma70 Actuators

115.620 115.625

Actuator Dimensions: 9.5" x 6.3" (24 cm x 15.8 cm)



Item		Model No.	Description	List Price
1		242.819.00.1	Protection plate for Sigma Concealed Tank 2x6	\$12.00
	1	243.084.00.1	Protection plate for Sigma Concealed Tank 2x4	12.00
2	2	242.813.FW.1	Act plate Sigma70, Brushed SS	189.00
2	2	242.813.SI.1	Actuator plate Sigma70, Glass White	159.00
2	2	242.813.SJ.1	Actuator plate Sigma70, Glass Black	159.00
2	2	242.813.SQ.1	Actuator plate Sigma70, Glass Umber	159.00
2	2	242.813.00.1	Actuator plate Sigma70 customer related	189.00
2.1	2.1	242.814.00.1	Mounting frame Sigma70	32.00
2.1.1	2.1.1	813.514.00.1	Spring for actuator plate	2.00
2.1.2	2.1.2	241.874.00.1	Actuator rod set mount w/o tool	11.00
3	3	240.575.00.1	Double pneumatic hose, 78.74" (2 m), dual-flush	6.00
4		242.825.00.1	Conversion set flush valve Sigma Concealed Tank, 4.72" (12 cm) and Omega Concealed Tank	10.00
	5	242.826.00.1	Conversion set flush valve Sigma Concealed Tank, 3.16" (8 cm)	10.00
6	6	242.820.00.1	Hydraulic flushing device	189.00
6.1	6.1	242.822.00.1	Spare parts set for hydraulic lifter	10.00
6.2	6.2	243.170.00.1	Support block hydraulic servo lifter for 2x6 Sigma Concealed Tank	16.00
6.3	6.3	243.171.00.1	Support block hydraulic servo lifter for 2x4 Sigma Concealed Tank	16.00
6.4	6.4	243.169.00.1	Support block hydraulic servo lifter for 2x6 Omega Concealed Tank	16.00
7		242.824.00.1	Connection hose complete for Sigma Concealed Tank, 4.72" (12 cm)	40.00
	8	242.823.00.1	Connection hose complete for Sigma Concealed Tank, 3.16" (8 cm)	56.00




Flush Plate and Push Button Actuators

Replacement Parts for Sigma80 Actuators

116.090 116.091 Actuator Dimensions: 9.75" x 6.5" (24.6 cm x 16.4 cm)



Item		Model No.	Description	List Price
1	1	242.975.11.1	Handle crown for flush valve	\$5.00
	2	242.424.00.1	Lifting device WC-control	159.00
3		241.150.00.1	Lifting device WC-control w/servomotor	159.00
4	4	242.617.00.1	Mounting frame Sigma80	44.00
5	5	242.618.SG.1	Actuator plate Sigma80 Black	778.00
5	5	242.618.SM.1	Actuator plate Sigma80 Mirror	778.00
6	6	241.831.00.1	Extension mains cable 78.74" (2.0 m) WC-control	56.00
7	7	242.658.00.1	Connection cable 78.74" (2.0 m) WC-control Sigma80	40.00
8	8	241.161.00.1	Cover for housing for electric socket	11.00
9	9	241.149.00.1	Power supply unit WC-control	110.00
10	10	241.302.00.1	Housing for electric socket for PSU	13.00



Replacement Parts for Hands Free Sigma10 and Mambo Actuator


115.891 115.890

Actuator Dimensions: 9.7" x 6.5" (24.6 cm x 16.4 cm)



Item		Model No.	Description	List Price
1	1	241.150.00.1	Lifting device with servo-motor for WC-control	\$159.00
2	2	241.303.00.1	Protection plate for WC-control Sigma10 and Mambo	9.00
3	3	241.476.00.1	Electronic sensor for WC-control	376.00
3.1		242.870.00.1	Battery housing (only for 115.891)	131.00
4	4	242.871.00.1	Mounting frame for WC-control	27.00
5	5	242.781.SN.1	IR actuator plate for WC-control Sigma10 and Mambo	189.00
5.1	5.1	241.478.00.1	IR window with adapter for WC-control Sigma10 and Mambo	32.00
6		By others	2 batteries, LR20 (standard) "D" cells	—
	7	115.861.00.1	Control installation set	135.00
	7.1	241.149.00.1	Power supply unit	110.00
	7.2	241.161.00.1	Cover for housing for electric socket	11.00
	7.3	241.302.00.1	Housing for electric socket	13.00
	8	241.831.00.1	Extension mains cable	56.00
9	9	242.975.11.1	Flush valve crown (not shown)	5.00


115.891 (Battery/DC), 115.890 (AC)




Flush Plate and Push Button Actuators

Replacement Parts for Omega20 and Omega30 Actuators

115.085 115.080 Actuator Dimensions: 8.3" x 5.6" (21.2 cm x 14.2 cm)



Item		Model No.	Description	List Price
1	1	243.108.00.1	Mounting frame Omega	\$16.00
2	2	242.588.00.1	Rod set to Omega and Sigma60	19.00
3	3	240.938.00.1	Extension set for actuator plates for Sigma Concealed Tanks 2x6 and 2x4, Kappa and Omega Concealed Tanks	20.00




Replacement Parts for Omega60 Actuators

115.081

Actuator Dimensions: 7.2" x 4.5" (18.4 cm x 11.4 cm), 8.2"x5.5" (20.9 cm x 13.9 cm with frame)



Item	Model No.	Description	List Price
1	243.109.00.1	Compensation frame Omega60	\$103.00
2	243.110.00.1	Distance element Omega60 set-2	27.00
3	242.588.00.1	Rod set to Omega and Sigma60	19.00
4	243.118.GH.1	Actuator plate Omega60 Chrome Brushed	522.00
4	243.118.SI.1	Actuator plate Omega60, Glass White	466.00
4	243.118.SJ.1	Actuator plate Omega60, Glass Black	466.00
4	243.118.SQ.1	Actuator plate Omega60, Glass Umber	466.00
4.1	813.514.00.1	Spring for actuator plate	2.00
4.2	242.920.00.1	Stopper pin for Omega60/Sigma60 Set-2	5.00



Flush Plate and Push Button Actuators


Replacement Parts for Kappa Actuators

115.228 115.258 115.260 Actuator Dimensions: 8.3" x 5.6" (21.2 cm x 14.2 cm)





Item			Model No.	Description	List Price
1	1	1	241.295.00.1	Spring for actuator plate, 10 pcs	\$9.00
2	2	2	240.639.00.1	Actuator Lever Rod set for Kappa Concealed Tank	6.00
3	3	3	240.646.00.1	Mounting frame for Kappa Concealed Tank/Artline	11.00
4	4	4	240.938.00.1	Extension set for actuator plates for Sigma Concealed Tanks 2x6 and 2x4, Kappa and Omega Concealed Tanks	20.00

115.228



115.258/115.260




Replacement Actuator Parts for Inactive Geberit Duofix Carriers 110.816, 110.826 and 111.816




Item			Model No.	Description	List Price
1	1	1	813.514.00.1	Spring for actuator plate	\$2.00
2	2		240.068.00.1	Mounting Frame	12.00
2.1	2.1		240.066.00.1	Stop-and-go lever	5.00
3	3		240.067.00.1	Actuator bolt	2.00
4	4		240.073.00.1	Splash guard protection cover for Highline and 200F	6.00
4.1	4.1		240.074.00.1	Actuator rod for Twinline, 200F, Highline	2.00
5	5		240.058.00.1	Extension set for actuator flush plates	24.00
6			115.151.00.1	Actuator plate, Brushed SS	342.00
	7		115.222.11.1	Actuator plate, Alpine White	69.00
	8		115.222.46.1	Actuator plate, Matte Chrome	125.00
		9	240.322.00.1	Mounting Frame	19.00
		10	240.180.00.1	Extension Set for actuator plates 115.333/115.395 for finished wall from 3.50"-7.00" (9-18cm)	16.00
		11	240.323.00.1	Actuator rod for 300T/115.392/115.394	12.00
		12	115.333.11.1	300T Style, Alpine White	69.00
		13	115.333.46.1	300T Style, Polished/Matte Chrome	121.00
14	14		241.877.00.1	Fastening set for mounting frame, Tool-free assembly	49.00


115.151



115.222



115.333




Flush Plate and Push Button Actuators

Replacement Parts for Type 70 Remote Dual-Flush Buttons

115.630 115.635 115.084 Actuator Dimensions: 4.4" x 1.9" (11.2 cm x 5 cm)

Item	Model No.	Description	List Price
1	242.819.00.1	Protection plate Type 70, for 2x6 Sigma Concealed Tank	\$12.00
1	243.084.00.1	Protection plate Type 70, for 2x4 Sigma Concealed Tank	12.00
2	243.111.00.1	Sticker protection plate for Type 70, for 2x6 Omega Concealed Tank	11.00
3	242.939.00.1	Nut remote control	16.00
4	242.956.00.1	Ready-to-fit set remote flush actuation Type 70	184.00
5	242.957.FW.1	Remote flush actuation Type 70 Stainless Steel	376.00
5	242.957.SI.1	Remote flush actuation Type 70 Glass White	275.00
5	242.957.SJ.1	Remote flush actuation Type 70 Glass Black	275.00
5	242.957.SQ.1	Remote flush actuation Type 70 Glass Umber	275.00
6	240.575.00.1	Double pneumatic hose for dual-flush 2m	6.00
7	242.949.00.1	Installation set remote flush actuation Type 70	59.00
8	242.825.00.1	Conversion set fill valve for 2x6 Sigma Concealed Tank	10.00
9	242.826.00.1	Conversion set flush valve for 2x4 Sigma Concealed Tank	10.00
10	242.820.00.1	Hydraulic flushing device	189.00
10.1	242.822.00.1	Spare parts set for hydraulic lifter	10.00
10.2	243.170.00.1	Support block hydraulic servo lifter for 2x6 Sigma Concealed Tank	16.00
10.3	243.171.00.1	Support block hydraulic servo lifter for 2x4 Sigma Concealed Tank	16.00
10.4	243.169.00.1	Support block hydraulic servo lifter for 2x6 Omega Concealed Tank	16.00
11	242.824.00.1	Connection hose complete for Type 70, for 2x6 Sigma Concealed Tank	40.00
12	242.823.00.1	Connection hose complete for Type 70, for 2x4 Sigma Concealed Tank	56.00
13	242.958.00.1	Connection hose complete for Type 70, for 2x6 Omega Concealed Tank	118.00




Replacement Parts for Square Remote Push Button Actuators

115.941 115.942 115.991 Actuator Dimensions: 4.25" x 4.25" (10.8 cm x 10.8 cm)




Item		Model No.	Description	List Price
1		240.573.00.1	Pneumatic flushing device for WC flush control single	\$19.00
1.1	1.1	880.328.11.1	Lifter flange dual-flush valve system	6.00
2		240.571.11.1	Wall mount actuator for pneumatic single-flush for WC flush control, Alpine White	45.00
2		240.571.KA.1	Wall mount actuator for pneumatic single-flush for WC flush control, Matte Chrome	63.00
3	3	256.000.00.1	Pneumatic hose	5.00
4	4 4	240.582.00.1	Concealed housing	19.00
	5	242.401.00.1	Brass weight for WC flush control pneumatic dual-flush	40.00
	6	240.574.00.1	Pneumatic flushing device for WC flush control dual-flush	24.00
	7	240.572.11.1	Wall mount actuator for pneumatic dual-flush for WC flush control, Alpine White	49.00
		240.572.KA.1	Wall mount actuator for pneumatic dual-flush for WC flush control, Matte Chrome	80.00
	8	240.575.00.1	Double pneumatic hose for dual-flush	6.00
	9	241.335.00.1	Pneumatic flushing device single-flush UP700	31.00
	9.1	241.759.00.1	Lifter flange for pneumatic single-flush UP700	8.00
	10	240.571.11.1	Wall mount actuator for pneumatic single-flush for WC flush control, Alpine White	45.00
		240.571.KA.1	Wall mount actuator for pneumatic single-flush for WC flush control, Matte Chrome	63.00


115.941 (Sigma 2x6 or Omega 2x6)



115.942 (Sigma 2x6 or Omega 2x6)



115.991 (Sigma 2x4)



Flush Plate and Push Button Actuators

Replacement Parts for Round Remote Push Button Actuators


115.114 115.992 115.999

Actuator Dimensions: Round Single-Flush 2.5" (6.4 cm) dia., Round Dual-Flush 2.44" (6.2 cm dia., Halfmoon 3.25" (8 cm) dia.




Item			Model No.	Description	List Price
1			240.573.00.1	Pneumatic flushing device for WC-control single-flush. From 1999	\$19.00
1.1	1.1	1.1	880.328.11.1	Lifter flange dual-flush valve system	6.00
2			241.199.11.1	Wall mount manual actuator pneumatic single-flush	49.00
			241.199.21.1	Wall mount manual actuator pneumatic single-flush	54.00
2.1			240.794.00.1	Bellows to pneumatic actuator	6.00
3			256.000.00.1	Pneumatic hose	5.00
4			240.004.00.1	Conversion set for single flush valves 1985 - 1998	19.00
	5	5	240.574.00.1	Pneumatic flushing device for WC-control dual-flush	24.00
	6		242.380.21.1	Actuator WC-control pneumatic dual-flush set	133.00
	7	7	240.575.00.1	Double pneumatic hose for dual-flush	6.00
	8	8	242.401.00.1	Brass weight 28.5g for WC-control pneumatic dual-flush	40.00
		9	241.413.21.1	Wall mount manual actuator, pneumatic dual-flush for WC flush control	77.00
		9.1	242.548.00.1	Collar for wall mount actuator WC flush control	16.00


115.114 (Sigma 2x6 or Omega 2x6)



115.992 (Sigma 2x6 or Omega 2x6)



115.999 (Sigma 2x6 or Omega 2x6)




Replacement Parts for Rectangular Remote Push Button Actuators

115.932

Actuator Dimensions: 5.06" x 2.91" (12.9 cm x 7.4 cm)



Item	Model No.	Description	List Price
1	242.849.GH.1	Push button, dual-flush, for Rectangle WC flush control, Brushed Chrome	\$173.00
1	242.849.KA.1	Push button, dual-flush, for Rectangle WC flush control, Polish-Matte	110.00
2	242.848.00.1	Pneumatic hose, extension set, dual-flush	24.00
3	242.846.00.1	Pneumatic lifter, dual-flush	24.00
4	242.847.00.1	Pneumatic cylinder for WC flush control	24.00
5	242.873.00.1	Double pneumatic hose, 197" (5.0 m), dual-flush	6.00



Flush Plate and Push Button Actuators

Replacement Parts for Sigma50, Sigma10, Bolero and Mambo Urinal Actuators

116.016 116.015 116.012 116.013 Actuator Dimensions: 5.12" x 5.12" (13 cm x 13 cm)








Item				Model No.	Description	List Price
1				242.764.11.1	Actuator plate Sigma50, Alpine White	\$189.00
1				242.764.GH.1	Actuator plate Sigma50, Brushed Chrome	376.00
1				242.764.00.1	Actuator plate Sigma50, Custom	189.00
	1		1	241.915.SN.1	Actuator plate Sigma10/Mambo, Brushed SS	189.00
		1		241.912.11.1	Actuator plate Bolero, Alpine White	31.00
		1		241.912.21.1	Actuator plate Bolero, Polished Chrome	49.00
2	2	2	2	241.934.00.1	Stop valve with throttle, complete	63.00
2.1	2.1	2.1	2.1	241.933.00.1	Regulating screw	21.00
3	3	3	3	241.937.00.1	Pneumatic actuator with mounting frame	63.00
4	4	4	4	241.931.00.1	Distance bolts, set	3.00
5	5	5	5	241.935.00.1	Pneumatic valve	138.00
5.1	5.1	5.1	5.1	241.932.00.1	Basket filter	3.00
5.2	5.2	5.2	5.2	241.936.00.1	Nozzle set, White	16.00
6	6	6	6	241.947.00.1	Insulation protection with connection terminal	5.00
7	7	7	7	242.156.00.1	Lip seal flushing pipe	3.00
8	8	8	8	242.484.00.1	Flow limiter for UR-controls	6.00

116.016

116.015

116.012

116.013




Replacement Parts for Hands Free Sigma10 and Mambo Urinal Actuator

116.035 116.025 116.033 116.023 Actuator Dimensions: 5.12" x 5.12" (13 cm x 13 cm)



Item				Model No.	Description	List Price
1	1	1	1	241.934.00.1	Stop valve with throttle, complete	\$63.00
1.1	1.1	1.1	1.1	241.933.00.1	Regulating screw	21.00
2	2	2	2	241.931.00.1	Distance bolts, set	3.00
3	3	3	3	241.941.00.1	Sensor electronics	282.00
4.1		4.1		241.945.00.1	Battery housing for UR-control	14.00
	4.2		4.2	241.944.00.1	Transformer for UR-control	56.00
4.3		4.3		By others	2x "AA" alkaline batteries	—
5	5	5	5	241.943.00.1	Mounting frame for horizontal fixation	21.00
6	6	6	6	241.925.SN.1	Cover plate for UR-control Sigma10	189.00
6.1	6.1			241.905.00.1	IR window UR-control Sigma10	19.00
		6.2	6.2	241.903.00.1	Mambo only	19.00
7	7	7	7	241.947.00.1	Insulation protection with connection terminal	5.00
8	8	8	8	241.946.00.1	Solenoid valve for UR-control	138.00
8.1	8.1	8.1	8.1	241.932.00.1	Basket filter	3.00
9	9	9	9	242.484.00.1	Flow limiter for UR-controls	6.00
10	10	10	10	242.156.00.1	Lip seal flushing pipe	3.00





Geberit Monolith



System for Floor-Mount Toilets

Geberit Monolith for Floor-Mount Toilet

Model Number	Description	List Price
131.144.SF.1	Geberit Monolith for floor-mounted toilets, White Glass with Duravit Starck 3 WC and Seat/Lid	\$1,269.00
131.144.SG.1	Geberit Monolith for floor-mounted toilets, Black Glass with Duravit Starck 3 WC and Seat/Lid	1,269.00

Consists of:


- (1) Geberit Monolith 131.126.xx.1 (SF=white; SG=black)
- (1) Geberit Toilet Outlet 131.127.29.1
- (1) Duravit Starck 3 Floor Mounted Elongated Toilet, White 131.128.11.1 (Duravit 215809)
- (1) Soft Close Seat and Lid for Duravit Starck 3 131.142.11.1 (Duravit 006339)

Geberit Monolith only

Model Number	Description	List Price
131.145.SF.1	Geberit Monolith for floor-mounted toilets, White Glass with Outlet	\$536.00
131.145.SG.1	Geberit Monolith for floor-mounted toilets, Black Glass with Outlet	536.00

Consists of:

- (1) Geberit Monolith 131.126.xx.1 (SF=white; SG=black)
- (1) Geberit Toilet Outlet 131.127.29.1
- Mates with Duravit Starck 3 Floor Mounted Elongated Toilet, White 215809 (sold separately)
- Contact Duravit.
- Mates with any Seat and Lid for Duravit Starck 3 Elongated (sold separately) Contact Duravit.




Replacement Parts for Geberit Monolith for Floor-Mount Toilet

Item	Model No.	Description	List Price
1	242.743.IW.1	Dual-Flush Tank Lid	\$41.00
1.1	242.486.00.1	Spring set for Tank Lid (2)	11.00
2	242.389.00.1	Flushing valve 6/3L	24.00
2.1	816.418.00.1	Flat gasket for flush valve	2.00
3	241.469.00.1	Filling valve Type 380*	24.00
3.1	240.771.00.1	Seal kit for filling valve Type 380	11.00
4	242.390.11.1	Flush bend	22.00
4.1	240.431.11.1	Compression nut and seal	5.00
4.2	118.006.11.1	Flush bend	15.00
4.3	119.668.00.1	Seal for supply inlet tube, EPDM	2.00

Item	Model No.	Description	List Price
5	131.128.11.1	Starck3 Elongated Ceramic Bowl for Monolith, Duravit 215809	Contact Geberit
5.1	131.142.11.1	Starck3 Elongated Seat and Lid, Duravit 006339	Contact Geberit
6	242.745.00.1	Mounting hardware set for Stark 3 ceramic bowl	\$10.00
7	131.127.29.1	Connection set w/S-Bend ABS AB20-40	54.00
7.1	152.424.00.1	Seal for toilet outlet connector, EPDM	3.00
8	242.933.00.1	Supply hose	14.00
9	242.934.00.1	Stop Valve, 1/4 turn (not shown)	14.00
10	131.126.SF.1	White Glass	482.00
	131.126.SG.1	Black Glass	482.00

* Formerly called Impuls380. See page 27 for Replacement Parts




System for Wall-Hung Toilets

Geberit Monolith Module

Model No.	Description	List Price
131.028.SI.1	Geberit Monolith for wall-hung toilets, White Glass	\$1,324.00
131.028.SJ.1	Geberit Monolith for wall-hung toilets, Black Glass	1,324.00

- Notes:
- 1. Concealed tank shipped dual-flush ready
 - 2. Geberit Monolith for 2-hole washdawn style wall-hung toilet fixtures only
 - 3. Refer to → [geberit.us](https://www.geberit.us) for latest list of code approved compatible toilet fixtures, including certified WaterSense combinations



Replacement Parts

Item	Model No.	Description	List Price
1	242.386.TA.1	Dual-Flush Tank Lid	\$122.00
1.1	242.486.00.1	Spring set for Tank Lid (2)	11.00
2	242.387.00.1	Dual-flush lever	8.00
3	242.389.00.1	Flush valve 6/3L	24.00
3.1	816.418.00.1	Flat gasket for flush valve	2.00
4	241.469.00.1	Filling valve Type 380*	24.00
5	242.385.TA.1	Side cladding set, brushed aluminum	110.00
6	242.383.SF.1	Front glass cladding, 7.09" (180 mm) centers, White	251.00
6	242.383.SG.1	Front glass cladding, 7.09" (180 mm) centers, Black	251.00
7	242.530.SF.1	Front glass cladding, 7.09"/9.06" (180/230 mm) centers, White	251.00
7	242.530.SG.1	Front glass cladding, 7.09"/9.06" (180/230 mm) centers, Black	251.00
8	242.480.00.1	Mounting hardware set for glass cladding	17.00
9	242.391.94.1	Base parts	28.00
10	131.085.11.1	Offset connection set	18.00
11	131.084.16.1	Connection set	24.00
12	By others	Flexible Coupling FERNCO 3005-33	—
13	366.061.16.1	HDPE waste fitting outlet bend, 1 x 90° bend with socket for Ø3.50" (Ø90 mm) push fit piping and Ø3.50" (Ø90 mm) outlet	20.00
14	366.820.92.1	Protection plug, Plastic	4.00
15	131.074.00.1	SS braided supply hose and fittings	62.00
15.1	240.851.00.1	Drop Ear Elbow, Copper	11.00
15.2	240.853.00.1	Supply angle Stop (black handle)	14.00

Replacement Parts (continued)

Item	Model No.	Description	List Price
16	242.390.11.1	Flush bend	\$22.00
16.1	240.431.11.1	Compression nut and seal	5.00
16.2	118.006.11.1	Flush bend	15.00
16.3	119.668.00.1	Seal for supply inlet tube, EPDM	2.00
17	241.487.00.1	O-ring of EPDM reinforced braided hose	14.00
18	242.740.00.1	Tank (Complete)	251.00

Optional Accessories

Description	Model No.	List Price
-------------	-----------	------------

Mounting Accessories



Support brackets for wall-hung toilets with small contact surface (thin profiles)


131.105.00.1 \$42.00

Bowl Connection Sets and Accessories



PP connection set with 1" (2.5 cm) offset and socket for Ø3.50" (Ø90 mm) push fit piping. Order with 405.116.00.1 for hardware (bowl installation kit) and Ø55 offset supply inlet.


131.085.11.1 \$18.00



HDPE connection set with 1" (2.5 cm) offset and mounting hardware (bowl installation kit); with socket for Ø3.50" (Ø90 mm) push fit piping and Ø55 supply inlet; Matte Chrome cover caps

405.116.00.1 212.00

* Formerly called Impuls380. See page 27 for Replacement Parts





Geberit Bath Waste & Overflow Systems



The information and pricing in this document is subject to change without notice.

Trim Finishes and Rough-In Unit Materials

It's Geberit It's Cable-Operated

Unlike other styles of bath drains, the Geberit Bath Waste & Overflow (BWO) critical working parts are outside the waterway and away from the flow of water to prevent clogging. The high quality cable is crafted from Teflon® coated stainless steel and has a plastic sleeve to deliver years of trouble-free service.

Note for customers in Canada: To inquire about Geberit Bath Waste & Overflow Systems, contact Dobbin Sales at 905.264.5465 or info@dobbinsales.com. For all other Geberit products, go to our Locator at → [geberit.us](https://www.geberit.us).

Styles to Meet Your Needs

PushControl BWO

The Geberit PushControl BWO offers a thin, elegant look.



Traditional TurnControl BWO

The Geberit "original" was first-to-market over 25 years ago.



Cascading Tub Filler BWO

An integrated system that combines the functionality of filling and draining into one component.



Euro TurnControl BWO

Stylish with a distinctive contour, the Geberit Euro TurnControl BWO delivers.



Selecting a trim finish

The distinctive contoured handles are offered in a wide variety of finishes to match almost any décor. ForeverShine™ finishes have been developed to ensure that the quality and look of the product on which it is applied will last a lifetime. Clean up is simple and requires no abrasive cleansers or chemicals so maintaining the initial factory finish is easy.

We are so confident of this finish process that we provide a limited lifetime warranty on ForeverShine™ products installed in residential applications.

Finish	Metal	Plastic
Alpine White (11)		■
Polished Chrome (21)	■	■
Gold (45)	■	■
Bone (AA)		■
White (DY)		■
Biscuit (FF)		■
Antique Brass (97)	■	
Old Silver Pewter (98)	■	
Satin Brass (CH)	■	
Black (EK)	■	
Satin Chrome (FT)	■	
ForeverShine™ PVD Brass (GG)	■	
ForeverShine™ PVD Pearl Nickel (HD)	■	
ForeverShine™ PVD Satin Sheen (HI)	■	
ForeverShine™ PVD Platinum (HJ)	■	
Hard Coat Oil Rubbed Bronze (HM)	■	
ForeverShine™ PVD Polished Nickel (IB)	■	
ForeverShine™ PVD Brushed Nickel (ID)	■	

Material Selection

Tubular Plastic

Plastic (polypropylene) is used chiefly for molded parts, electrical insulation, packaging.



Tubular Brass

Brass is a yellowish alloy of copper and zinc used for enhancing items such as the Geberit BWO.



ABS

ABS (Acrylonitrile, Butadiene, Styrene) is a plastic that's hard and durable through a broad range of temperatures.



PVC

PVC, polyvinyl chloride, a widely used thermoplastic polymer, is tough, dent-resistant and maintains properties over long periods of time.



Selecting a Remote

The Geberit Remote BWO Cable Drain features the same quality and performance as our full line of bath waste and overflow products, but with remote access possibilities. Its unique two-headed design gives you the flexibility of handle placement for ADA applications.



Joints

Slip joints are used when the drain will be accessible for maintenance. Glued joints are used for non-accessible drains. Geberit supplies tubing for slip connections with their BWOs, but does NOT supply ABS/PVC piping for glued connections.

Selecting the Right Size Bath Waste & Overflow

For convenience, use this page when sizing your cable length.


Sizing a Geberit cable drain is simple and easy. Start with acquiring the **Tub Depth** (see **Figure 1**), which serves as a rough guide for your final selection. While the actual definition of "tub depth" varies by manufacturer and model, the measurement is used to get a rough idea of the cable length you will need. Use the **Standard Rough-In Unit Cable Lengths** chart (below, right) to determine that cable length based on your tub depth.

To assure your rough calculations are correct and your BWO will function properly, however, please follow these steps (refer to **Figure 1**).

- 1. Determine the **Overflow Depth (A)** which is the distance from the overflow center to drain mounting surface.
- 2. Determine the **Drain Shoe Length (B)** which is the distance from the drain centerline to the overflow mounting surface.
- 3. Choose **material** and joint **connection type**. Because material selection and joint preparations selection are covered by local codes, be sure a professional contractor is involved. Geberit offers the complete spectrum of BWO materials to assure Code Compliance (see page 55). The materials offered are Tubular Polypropylene, Tubular Brass, ABS and PVC.
- 4. To determine the **final size** of your BWO for **Tubular Slip-Joint Plastic/Brass** cable drain, use **Figure 2** on page 57. To determine the final size of your BWO for **glued ABS/PVC** cable drain, use **Figure 3** on page 57.
- 5. Your information can now be used to find the **part number** on each type of Geberit BWO.

Once you have determined the size and part number, you can also give this information to your sales outlet so they can verify you have the right Geberit model for your needs.

Figure 1



Standard Rough-In Unit Cable Lengths

Key	Typical Tub Depth*	Cable Length
■	12"-16" (301-402)	17" (432)
■	17"-24" (427-602)	27" (678)
■	17"-24" (427-602)	33" (828)
■	25"-29" (628-728)	43" (1,079)
■	30" (753)	59" (1,481)

*Varies by manufacturer and model number.
Non-standard sizes, please refer to → [geberit.us](https://www.geberit.us)

Geberit makes it easy to select the right drain with the online Bath Drain Selector, → [geberit.us.com/drain_selection.php](https://www.geberit.us.com/drain_selection.php). Simply select a particular manufacturer and model number, bathtub size and the rough-in material.

Figure 2

**Standard Tubular Slip Joint
Rough-In Unit Cable Length
Configuration Guide**

Use this chart to figure cable length needed for Plastic/Brass standard Tubular installations.

Example:

Ⓐ Overflow Depth = 14"

Ⓑ Drain Shoe Length = 7.5"

Requires a Rough-In Unit with a cable length of 27".

Custom installations can be achieved using standard Tubular Rough-In Units provided cable length is within acceptable range illustrated by shaded areas in guide.

Geberit recommends you review any custom installations with your sales outlet to assure you have the right model for your needs.





Figure 3

**ABS/PVC Glued Rough-In Unit
Cable Length Configuration Guide***

Use this chart to figure cable length needed for ABS/PVC glued custom installations.

Shaded areas indicate acceptable range of measurements for each cable length.

Example:



Ⓐ Overflow Depth = 22.5"

Ⓑ Drain Shoe Length = 12.5"

Requires a Rough-In Unit with a cable length of 43".

Geberit recommends you review any custom installations with your sales outlet to assure you have the right model for your needs.

* ABS/PVC pipes not supplied



TurnControl BWO Systems

TurnControl Rough-In Unit

Does not include Trim Kit (see page 60) (Fits Tub Wall Thickness 1/16"–5/16") (Figs. A & B)

Description	Model No.	Tub Depth*	Cable Length	Overflow Depth	Drain Shoe Length	List Each
Tubular Plastic Rough-In (Fig. A)	151.501.00.1	12"–16"	17"	Use Figure 2 on page 57		\$68.00
1½" Tubular plastic slip joint with PVC Tee connection	151.504.00.1	17"–24"	27"			73.00
	151.508.00.1	17"–24"	33"			80.00
	151.512.00.1	25"–29"	43"			95.00
	151.515.00.1	30"	59"			106.00
Tubular Brass Rough-In (Fig. A)	151.460.00.1	17"–24"	27"	Use Figure 3 on page 57		347.00
1½" Tubular Brass slip joint with Brass Tee connection						
Tubular Brass Rough-In (Fig. A)	151.450.00.1	17"–24"	27"			347.00
Brass Chicago Code Tee						
ABS Rough-In (Fig. B)	151.502.00.1	12"–16"	17"			68.00
1½" ABS Sch 40 for glued joint (Pipes not supplied)	151.505.00.1	17"–24"	27"			73.00
	151.510.00.1	17"–24"	33"			80.00
	151.513.00.1	25"–29"	43"			95.00
	151.516.00.1	30"	59"			106.00
PVC Rough-In (Fig. B)	151.503.00.1	12"–16"	17"			68.00
1½" PVC Sch 40 for glued joint. (Pipes not supplied)	151.506.00.1	17"–24"	27"			73.00
	151.511.00.1	17"–24"	33"			80.00
	151.514.00.1	25"–29"	43"			95.00
	151.517.00.1	30"	59"			106.00




Fig. A
Tubular
Rough-In Unit




Fig. B
ABS/PVC
Rough-In Unit

TurnControl Remote Control Rough-In Unit

Does not include Trim Kit (see page 60) (Figs. C & D)

Description	Model No.	Tub Depth*	Cable Length	Overflow Depth	Drain Shoe Length	List Price
Tubular Plastic Rough-In (Fig. C)	151.518.00.1	17"–24"	59"	—	—	\$167.00
ABS Rough-In (Fig. D)	151.519.00.1	17"–24"	59"	—	—	167.00
PVC Rough-In (Fig. D)	151.520.00.1	17"–24"	59"	—	—	167.00




Fig. C
Tubular Remote Control
Rough-In Unit




Fig. D
ABS/PVC Remote Control
Rough-In Unit

TurnControl Rough-In Unit (Non-Standard)

Does not include Trim Kit (see page 60) (Fits Tub Wall Thickness 1/16"–5/16") (Fig. A)

Description	Model No.	Tub Depth*	Cable Length	Overflow Depth	Drain Shoe Length	List Price
Tubular Plastic Rough-In (Fig. A)	150.183.00.1	17"–24"	33"	30.50"	20.50"	\$105.00
(Non-Standard)	150.184.00.1	25"–29"	43"	30.50"	30.00"	117.00



Fully detailed information can be found at → [geberit.us](https://www.geberit.us)

* Tub Depth is only a rough calculation. To ensure proper cable length, refer to information on pages 56 and 57.

TurnControl Complete Unit

Includes Trim Kit and Tubular Plastic Rough-In Unit (Fits Tub Wall Thickness 1/16"–5/16") (Figs. E & F)



Material	Finish	Tub Depth*	Cable Length	Overflow Depth	Drain Shoe Length	Traditional Model No. (Fig. E)	List Each	Euro Model No. (Fig. F)	List Each
Metal	ForeverShine™ PVD Brushed Nickel	17"–24"	27"	Use Figure 2 on page 57		150.176.ID.1	\$224.00	—	—
	Polished Chrome	17"–24"	27"			—	—	151.521.21.1	\$112.00
	Hard Coat Oil Rubbed Bronze	17"–24"	27"			—	—	151.521.HM.1	142.00
	Forevershine™ PVD Polished Nickel	17"–24"	27"			—	—	151.521.IB.1	139.00
	Forevershine™ PVD Brushed Nickel	17"–24"	27"			—	—	151.521.ID.1	139.00
Plastic	Polished Chrome	17"–24"	27"			150.156.21.1	131.00	151.531.21.1	87.00
	White	17"–24"	27"			150.156.DY.1	136.00	—	—
	Biscuit	17"–24"	27"			150.156.FF.1	136.00	—	—

Includes Trim Kit and ABS Pipe Rough-In Unit (Fits Tub Wall Thickness 1/16"–5/16") (Fig. G)



								Euro Model No. (Fig. G)	
Metal	Polished Chrome	17"–24"	27"	Use Figure 2 on page 57		—	—	151.522.21.1	\$112.00
	Hard Coat Oil Rubbed Bronze	17"–24"	27"			—	—	151.522.HM.1	142.00
	Forevershine™ PVD Polished Nickel	17"–24"	27"			—	—	151.522.IB.1	139.00
	Forevershine™ PVD Brushed Nickel	17"–24"	27"			—	—	151.522.ID.1	139.00

Includes Trim Kit and PVC Pipe Rough-In Unit (Fits Tub Wall Thickness 1/16"–5/16") (Fig. G)



								Euro Model No. (Fig. G)	
Metal	Polished Chrome	17"–24"	27"	Use Figure 2 on page 57		—	—	151.523.21.1	\$112.00
	Hard Coat Oil Rubbed Bronze	17"–24"	27"			—	—	151.523.HM.1	142.00
	Forevershine™ PVD Polished Nickel	17"–24"	27"			—	—	151.523.IB.1	139.00
	Forevershine™ PVD Brushed Nickel	17"–24"	27"			—	—	151.523.ID.1	139.00

Note: ForeverShine™ finishes ensure the quality and look of your Geberit BWO will last a lifetime. Geberit offers a limited lifetime warranty on ForeverShine™ products installed in residential applications.

* Tub Depth is only a rough calculation. To ensure proper cable length, refer to information on pages 56 and 57.




Fig. E
Traditional
TurnControl
Tubular Rough-In
Complete Unit




Fig. F
Euro TurnControl
Tubular Rough-In
Complete Unit





Fig. G
Euro TurnControl
ABS/PVC Rough-In
Complete Unit

TurnControl BWO Systems (continued)

TurnControl Trim Kit – Includes Handle and Plunger

		Model No.			
					
Material	Finish	Traditional	List Price	Euro	List Price
Metal	Polished Chrome	151.551.21.1	\$95.00	151.553.21.1	\$64.00
	Hard Coat Oil Rubbed Bronze	151.551.HM.1	149.00	151.553.HM.1	95.00
	ForeverShine™ PVD Polished Nickel	151.551.IB.1	144.00	151.553.IB.1	91.00
	ForeverShine™ PVD Brushed Nickel	151.551.ID.1	144.00	151.553.ID.1	91.00
	Gold	151.551.45.1	177.00		
	Antique Brass	151.551.97.1	135.00		
	Old Silver Pewter	151.551.98.1	135.00		
	Satin Brass	151.551.CH.1	135.00		
	Black	151.551.EK.1	149.00		
	Satin Chrome	151.551.FT.1	135.00		
	ForeverShine™ PVD Brass	151.551.GG.1	135.00		
	ForeverShine™ PVD Pearl Nickel	151.551.HD.1	155.00		
	ForeverShine™ PVD Satin Sheen	151.551.HI.1	135.00		
	ForeverShine™ PVD Platinum	151.551.HJ.1	155.00		
Plastic	Alpine White	151.550.11.1	57.00		
	Gold	151.550.45.1	122.00		
	Polished Chrome	151.550.21.1	57.00	151.552.21.1	38.00
	Bone	151.550.AA.1	63.00		
	White	151.550.DY.1	63.00		
	Biscuit	151.550.FF.1	63.00		
	ForeverShine™ PVD Brass	151.550.GG.1	122.00		




TurnControl, Remote Control Trim Kit

Order Two Trim Kits in desired finish.

TurnControl Accessories

Description	Model No.	List Price
ADA Handle Extension, Polished Chrome For Metal Handles Only	241.789.21.1	\$26.00
Test Plug Kit	240.691.00.1	28.00
Extended Tub Wall Thickness Kit 3/8"–1/2", Tubular Plastic/Brass Rough-In	241.769.00.1	41.00
Extended Tub Wall Thickness Kit 3/8"–1/2", ABS/PVC Rough-In	241.771.00.1	41.00
Extended Tub Wall Thickness Kit 3/8"–1/2", Tub Filler	241.772.00.1	41.00
Extended Tub Wall Thickness Kit 9/16"–3/4", Tubular/Brass Rough-In	241.773.00.1	41.00
Extended Tub Wall Thickness Kit 9/16"–3/4", ABS/PVC Rough-In	241.774.00.1	41.00
Extended Tub Wall Thickness Kit 9/16"–3/4", Tub Filler	241.775.00.1	41.00



PushControl BWO Systems

PushControl Complete Unit

Includes Trim Kit, Tubular Plastic Rough-In Unit and Installation Tools (Fits Tub Wall Thickness 1/16"–1/2")




Material	Finish	Model No.	Tub Depth*	Cable Length	Overflow Depth	Drain Shoe Length	List Each
Metal	Polished Chrome	151.603.21.1	17"–24"	27"	Use Figure 2 on page 57		\$220.00
		151.605.21.1	17"–24"	33"			237.00
	ForeverShine™	151.603.ID.1	17"–24"	27"			277.00
	PVD Brushed Nickel	151.605.ID.1	17"–24"	33"			292.00
Plastic	Polished Chrome	151.602.21.1	17"–24"	27"			167.00
		151.604.21.1	17"–24"	33"			182.00

* Tub Depth is only a rough calculation. To ensure proper cable length, refer to information on pages 48 and 49.


PushControl Accessories

Description	Model No.	List Price
PushControl Toolkit (Included with purchase of each PushControl Complete Unit)	241.729.00.1	\$33.00

Note: ForeverShine™ finishes ensure the quality and look of your Geberit BWO will last a lifetime.
Geberit offers a limited lifetime warranty on ForeverShine™ products installed in residential applications.



PushControl Complete Unit



PushControl Toolkit

TurnControl BWO Systems with Cascading Tub Filler

PushControl Complete Unit

Includes Trim Kit, Tubular Plastic Rough-In Unit and Installation Tools (Fits Tub Wall Thickness 1/16"–1/2")



Material	Finish	Model No.	Tub Depth*	Cable Length	Overflow Depth	Drain Shoe Length	Tub Wall Thickness	List Each
Metal	Polished Chrome	151.466.21.1	17"–24"	27"	Use Figure 2 on page 57		1/16"–5/16"	\$881.00
		151.467.21.1	17"–24"	27"			3/8"–1/2"	881.00
		151.468.21.1	17"–24"	27"			9/16"–3/4"	881.00
ForeverShine™		151.466.GG.1	17"–24"	27"			1/16"–5/16"	966.00
		151.467.GG.1	17"–24"	27"			3/8"–1/2"	966.00
		151.468.GG.1	17"–24"	27"			9/16"–3/4"	966.00
PVD Brass		151.466.ID.1	17"–24"	27"			1/16"–5/16"	966.00
		151.467.ID.1	17"–24"	27"			3/8"–1/2"	966.00
		151.468.ID.1	17"–24"	27"			9/16"–3/4"	966.00

* Tub Depth is only a rough calculation. To ensure proper cable length, refer to information on pages 56 and 57.

Cascading Tub Filler, TurnControl ADA Handle Extension –


Includes Trim Kit, Tubular Brass Rough-In Unit and Vacuum Breaker

Description	Model No.	List Price
ADA Handle Extension, Polished Chrome	241.789.21.1	\$26.00

Note: ForeverShine™ finishes ensure the quality and look of your Geberit BWO will last a lifetime.
Geberit offers a limited lifetime warranty on ForeverShine™ products installed in residential applications.



ADA Handle Extension



Cascading Tub Filler, Traditional TurnControl Complete Unit

BWO Replacement Parts

Replacement Parts and Kits (See page 59 for Item drawings)

Item	Description	Model No.	List Price
1	TurnControl Overflow/Drain Service Kit	242.767.00.1	\$28.00
2	Brass Tee Assembly, by other model tbd	—	—
3	Chicago Code Brass Tee Assembly	241.766.00.1	54.00
4	PushControl Overflow/Drain Service Kit	242.768.00.1	17.00
5	PushControl Trim Service Kits		
	Metal Polished Chrome	241.726.21.1	112.00
	ForeverShine™ PVD Brushed Nickel	241.726.ID.1	163.00
	Plastic Polished Chrome	241.725.21.1	71.00
6	Cascading Tub Filler Service Kit	242.769.00.1	17.00
7	Check Valve Kit	240.736.00.1	8.00
8	Cascading Tub Filler Trim Service Kits		
	Metal Polished Chrome	242.776.00.1	42.00
	ForeverShine™ PVD Brass	242.776.GG.1	46.00
	ForeverShine™ PVD Brushed Nickel	242.776.ID.1	66.00
8.1	Stream Former Kit	new model	TBD
9	Vacuum Breaker WATTS Model No. 288A	—	—
10	See TurnControl Traditional Metal Handles table below		
11	See TurnControl Euro Metal Handles table below		
12	See TurnControl Traditional Plastic Handles table in next column		
13	See TurnControl Euro Plastic Handles table in next column		
14	See Plunger Assemblies table in next column		
15	TurnControl Handle/Plunger Service Kit	242.777.00.1	18.00

TurnControl Metal Handles (See page 59 for Item drawings)

Finish	Item No. 11 Traditional Model No.	List Price	Item No. 12 Euro Model No.	List Price
Polished Chrome	240.702.21.1	\$61.00	241.779.21.1	\$61.00
Hard Coat Oil Rubbed Bronze	240.702.HM.1	112.00	241.779.HM.1	102.00
ForeverShine™ PVD Polished Nickel	240.702.IB.1	96.00	241.779.IB.1	87.00
ForeverShine™ PVD Brushed Nickel	240.702.ID.1	96.00	241.779.ID.1	87.00
Gold	240.702.45.1	117.00		
Unfinished Brass	240.702.50.1	77.00		
Antique Brass	240.702.97.1	87.00		
Old Silver Pewter	240.702.98.1	87.00		
Satin Brass	240.702.CH.1	87.00		
Black	240.702.EK.1	102.00		
Satin Chrome	240.702.FT.1	87.00		
ForeverShine™ PVD Brass	240.702.GG.1	87.00		
ForeverShine™ PVD Pearl Nickel	240.702.HD.1	102.00		
ForeverShine™ PVD Satin Sheen	240.702.HI.1	87.00		
ForeverShine™ PVD Platinum	240.702.HJ.1	102.00		

TurnControl Plastic Handles (See page 59 for Item drawings)

Finish	Item No. 13 Traditional Model No.	List Price	Item No. 14 Euro Model No.	List Price
Alpine White	241.628.11.1	\$41.00		
Gold	241.628.45.1	82.00		
Polished Chrome	241.628.21.1	41.00	241.776.21.1	\$40.00
Bone	241.628.AA.1	41.00		
White	241.628.DY.1	41.00		
Biscuit	241.628.FF.1	41.00		
ForeverShine™ PVD Brass	241.628.GG.1	82.00		


Plunger Assemblies (See page 59 for Item drawings)

Item	Description	Model No.	List Price
14	Metal Polished Chrome	241.728.21.1	\$31.00
	Gold	241.728.45.1	51.00
	Antique Brass	241.728.97.1	37.00
	Old Silver Pewter	241.728.98.1	37.00
	Satin Brass	241.728.CH.1	37.00
	Black	241.728.EK.1	43.00
	Satin Chrome	241.728.FT.1	37.00
	ForeverShine™ PVD Brass	241.728.GG.1	37.00
	ForeverShine™ PVD Pearl Nickel	241.728.HD.1	43.00
	ForeverShine™ PVD Satin Sheen	241.728.HI.1	37.00
	ForeverShine™ PVD Platinum	241.728.HJ.1	43.00
	Hard Coat Oil Rubbed Bronze	241.728.HM.1	56.00
	ForeverShine™ PVD Polished Nickel	241.728.IB.1	41.00
	ForeverShine™ PVD Brushed Nickel	241.728.ID.1	41.00
	Plastic Alpine White	241.727.11.1	26.00
	Polished Chrome	241.727.21.1	31.00
	Gold	241.727.45.1	51.00
	Bone	241.727.AA.1	26.00
	White	241.727.DY.1	26.00
	Biscuit	241.727.FF.1	26.00
	ForeverShine™ PVD Brass	241.727.GG.1	37.00


Note: ForeverShine™ finishes ensure the quality and look of your Geberit BWO will last a lifetime. Geberit offers a limited lifetime warranty on ForeverShine™ products installed in residential applications.

Note for customers in Canada: To inquire about Geberit Bath Waste & Overflow Systems, contact Dobbin Sales at 905.264.5465 or info@dobbinsales.com. For all other Geberit products, go to our Locator at geberit.us.


Tubular Plastic




ABS/PVC




Tubular Brass




PushControl




Cascading Tub Filler




TurnControl Handle Parts



Plungers Parts



Replacement Parts Kit





Appendix

Model No.	List Price	Model No.	List Price	Model No.	List Price	Model No.	List Price
109.304.00.5	\$381.00	115.758.KH.5	\$175.00	131.074.00.1	\$62.00	151.551.HD.1	\$155.00
111.255.00.1	557.00	115.758.KJ.5	122.00	131.084.16.1	24.00	151.551.HI.1	135.00
111.255.00.1	557.00	115.758.KK.5	349.00	131.085.11.1	18.00	151.551.HJ.1	155.00
111.335.00.5	519.00	115.758.KL.5	149.00	131.105.00.1	42.00	151.551.HM.1	149.00
111.490.00.1	307.00	115.758.KM.5	149.00	131.126.SF.1	482.00	151.551.IB.1	144.00
111.520.00.1	557.00	115.758.KN.5	175.00	131.126.SG.1	482.00	151.551.ID.1	144.00
111.625.00.1	557.00	115.758.SN.5	236.00	131.127.29.1	54.00	151.552.21.1	38.00
111.728.00.1	646.00	115.760.11.1	231.00	131.128.11.1	Contact Geberit	151.553.21.1	64.00
111.815.00.1	32.00	115.760.21.1	231.00	131.142.11.1	Contact Geberit	151.553.HM.1	95.00
111.835.00.1	32.00	115.760.46.1	231.00	131.144.SF.1	1269.00	151.553.IB.1	91.00
111.847.00.1	42.00	115.760.EP.1	229.00	131.144.SG.1	1269.00	151.553.ID.1	91.00
111.863.00.1	480.00	115.760.GM.1	339.00	131.145.SF.1	536.00	151.602.21.1	167.00
111.867.00.1	63.00	115.760.HC.1	559.00	131.145.SG.1	536.00	151.603.21.1	220.00
111.868.00.1	107.00	115.760.HM.1	389.00	150.156.21.1	131.00	151.603.ID.1	277.00
111.869.00.1	32.00	115.760.IB.1	389.00	150.156.DY.1	136.00	151.604.21.1	182.00
111.887.00.1	12.00	115.760.ID.1	389.00	150.156.FF.1	136.00	151.605.21.1	237.00
111.892.00.1	4.00	115.760.KA.1	236.00	150.176.ID.1	224.00	151.605.ID.1	292.00
115.080.KH.1	240.00	115.764.FW.1	242.00	150.183.00.1	105.00	152.404.11.1	40.00
115.080.KJ.1	177.00	115.766.SI.1	193.00	150.184.00.1	117.00	152.404.46.1	40.00
115.080.KK.1	196.00	115.770.11.5	83.00	151.450.00.1	347.00	152.424.00.1	3.00
115.080.KL.1	196.00	115.770.21.5	113.00	151.460.00.1	347.00	152.438.46.1	52.00
115.080.KM.1	196.00	115.770.46.5	113.00	151.466.21.1	881.00	152.489.16.1	26.00
115.080.KN.1	240.00	115.777.11.1	113.00	151.466.GG.1	966.00	152.647.00.1	107.00
115.081.GH.1	703.00	115.777.21.1	146.00	151.466.ID.1	966.00	152.682.00.1	3.00
115.081.SI.1	703.00	115.777.46.1	146.00	151.467.21.1	881.00	152.693.00.1	3.00
115.081.SJ.1	703.00	115.778.ID.1	232.00	151.467.GG.1	966.00	152.796.00.1	3.00
115.081.SQ.1	703.00	115.778.KH.1	172.00	151.467.ID.1	966.00	152.983.00.1	33.00
115.082.00.1	193.00	115.778.KJ.1	119.00	151.468.21.1	881.00	152.984.00.1	33.00
115.082.SI.1	242.00	115.778.KK.1	551.00	151.468.GG.1	966.00	156.050.00.1	16.00
115.084.FW.1	725.00	115.778.KL.1	147.00	151.468.ID.1	966.00	216.179.00.1	3.00
115.084.SI.1	615.00	115.778.KM.1	147.00	151.501.00.1	68.00	217.713.11.1	5.00
115.084.SJ.1	615.00	115.778.KN.1	172.00	151.502.00.1	68.00	217.713.46.1	5.00
115.084.SQ.1	615.00	115.778.SN.1	233.00	151.503.00.1	68.00	240.004.00.1	19.00
115.085.KH.1	240.00	115.781.ID.1	268.00	151.504.00.1	73.00	240.027.46.1	6.00
115.085.KJ.1	177.00	115.781.SN.1	268.00	151.505.00.1	73.00	240.058.00.1	24.00
115.085.KK.1	196.00	115.787.SN.5	268.00	151.506.00.1	73.00	240.066.00.1	5.00
115.085.KL.1	196.00	115.788.00.5	344.00	151.508.00.1	80.00	240.067.00.1	2.00
115.085.KM.1	196.00	115.788.11.5	344.00	151.510.00.1	80.00	240.068.00.1	12.00
115.085.KN.1	240.00	115.788.DW.5	344.00	151.511.00.1	80.00	240.073.00.1	6.00
115.086.21.1	200.00	115.788.GH.5	444.00	151.512.00.1	95.00	240.074.00.1	2.00
115.086.GH.1	200.00	115.788.SD.5	444.00	151.513.00.1	95.00	240.172.00.1	24.00
115.114.11.1	95.00	115.788.SE.5	444.00	151.514.00.1	95.00	240.180.00.1	16.00
115.114.21.1	111.00	115.788.SQ.5	444.00	151.515.00.1	106.00	240.189.00.1	4.00
115.114.FW.1	228.00	115.792.GH.1	573.00	151.516.00.1	106.00	240.269.00.1	17.00
115.151.00.1	342.00	115.795.21.1	172.00	151.517.00.1	106.00	240.298.00.1	13.00
115.222.11.1	69.00	115.796.GH.1	401.00	151.518.00.1	167.00	240.306.00.1	2.00
115.222.46.1	125.00	115.861.00.1	135.00	151.519.00.1	167.00	240.315.00.1	24.00
115.228.11.1	98.00	115.890.SN.5	808.00	151.520.00.1	167.00	240.322.00.1	19.00
115.228.21.1	133.00	115.891.SN.5	808.00	151.521.21.1	112.00	240.323.00.1	12.00
115.228.46.1	133.00	115.932.GH.1	228.00	151.521.HM.1	142.00	240.347.00.1	4.00
115.258.00.1	236.00	115.932.KA.1	144.00	151.521.IB.1	139.00	240.431.11.1	5.00
115.260.11.1	236.00	115.941.11.1	95.00	151.521.ID.1	139.00	240.533.00.1	12.00
115.260.21.1	236.00	115.941.KA.1	144.00	151.522.21.1	112.00	240.571.11.1	45.00
115.260.46.1	236.00	115.942.11.1	111.00	151.522.HM.1	142.00	240.571.KA.1	63.00
115.333.11.1	69.00	115.942.KA.1	144.00	151.522.IB.1	139.00	240.572.11.1	49.00
115.333.46.1	121.00	115.991.11.1	95.00	151.522.ID.1	139.00	240.572.KA.1	80.00
115.620.00.1	485.00	115.991.KA.1	144.00	151.523.21.1	112.00	240.573.00.1	19.00
115.620.FW.1	644.00	115.999.21.1	144.00	151.523.HM.1	142.00	240.574.00.1	24.00
115.620.SI.1	567.00	116.012.11.1	302.00	151.523.IB.1	139.00	240.575.00.1	6.00
115.620.SJ.1	567.00	116.012.21.1	302.00	151.523.ID.1	139.00	240.582.00.1	19.00
115.620.SQ.1	567.00	116.015.SN.1	348.00	151.531.21.1	87.00	240.622.00.1	12.00
115.625.00.1	485.00	116.016.00.5	511.00	151.550.11.1	57.00	240.629.00.1	21.00
115.625.FW.1	644.00	116.016.11.5	511.00	151.550.21.1	57.00	240.637.00.1	35.00
115.625.SI.1	567.00	116.016.DW.5	511.00	151.550.45.1	122.00	240.638.00.1	24.00
115.625.SJ.1	567.00	116.016.GH.5	707.00	151.550.AA.1	63.00	240.639.00.1	6.00
115.625.SQ.1	567.00	116.025.SN.1	808.00	151.550.DY.1	63.00	240.646.00.1	11.00
115.630.FW.1	725.00	116.035.SN.1	808.00	151.550.FF.1	63.00	240.691.00.1	28.00
115.630.SI.1	615.00	116.090.SG.1	1364.00	151.550.GG.1	122.00	240.698.00.1	40.00
115.630.SJ.1	615.00	116.090.SM.1	1364.00	151.551.21.1	95.00	240.700.00.1	24.00
115.630.SQ.1	615.00	116.091.SG.1	1364.00	151.551.45.1	177.00	240.702.21.1	61.00
115.635.FW.1	725.00	116.091.SM.1	1364.00	151.551.97.1	135.00	240.702.45.1	117.00
115.635.SI.1	615.00	118.006.11.1	15.00	151.551.98.1	135.00	240.702.50.1	77.00
115.635.SJ.1	615.00	119.668.00.1	2.00	151.551.CH.1	135.00	240.702.97.1	87.00
115.635.SQ.1	615.00	119.669.00.1	3.00	151.551.EK.1	149.00	240.702.98.1	87.00
115.680.11.1	88.00	131.028.SI.1	1324.00	151.551.FT.1	135.00	240.702.CH.1	87.00
115.680.21.1	119.00	131.028.SJ.1	1324.00	151.551.GG.1	135.00	240.702.EK.1	102.00

Appendix (continued)

Model No.	List Price	Model No.	List Price	Model No.	List Price	Model No.	List Price
240.702.FT.1	\$87.00	241.728.FT.1	\$37.00	242.048.00.1	\$20.00	242.825.00.1	\$10.00
240.702.GG.1	87.00	241.728.GG.1	37.00	242.131.00.1	60.00	242.826.00.1	10.00
240.702.HD.1	102.00	241.728.HD.1	43.00	242.156.00.1	3.00	242.846.00.1	24.00
240.702.HI.1	87.00	241.728.HI.1	37.00	242.269.00.1	16.00	242.847.00.1	24.00
240.702.HJ.1	102.00	241.728.HJ.1	43.00	242.314.00.1	40.00	242.848.00.1	24.00
240.702.HM.1	112.00	241.728.HM.1	56.00	242.315.00.1	6.00	242.849.GH.1	173.00
240.702.IB.1	96.00	241.728.IB.1	41.00	242.316.00.1	6.00	242.849.KA.1	110.00
240.702.ID.1	96.00	241.728.ID.1	41.00	242.317.00.1	14.00	242.870.00.1	131.00
240.736.00.1	8.00	241.729.00.1	33.00	242.380.21.1	133.00	242.871.00.1	27.00
240.771.00.1	11.00	241.759.00.1	8.00	242.383.SF.1	251.00	242.873.00.1	6.00
240.782.00.1	62.00	241.766.00.1	54.00	242.383.SG.1	251.00	242.886.00.1	10.00
240.794.00.1	6.00	241.769.00.1	41.00	242.385.TA.1	110.00	242.888.00.1	10.00
240.839.00.1	53.00	241.771.00.1	41.00	242.386.TA.1	122.00	242.920.00.1	5.00
240.851.00.1	11.00	241.772.00.1	41.00	242.387.00.1	8.00	242.933.00.1	14.00
240.853.00.1	14.00	241.773.00.1	41.00	242.389.00.1	24.00	242.934.00.1	14.00
240.921.00.1	14.00	241.774.00.1	41.00	242.390.11.1	22.00	242.939.00.1	16.00
240.922.00.1	9.00	241.775.00.1	41.00	242.391.94.1	28.00	242.949.00.1	59.00
240.923.00.1	6.00	241.776.21.1	40.00	242.401.00.1	40.00	242.956.00.1	184.00
240.935.00.1	31.00	241.779.21.1	61.00	242.413.00.1	44.00	242.957.FW.1	376.00
240.938.00.1	20.00	241.779.HM.1	102.00	242.414.00.1	17.00	242.957.SI.1	275.00
241.059.00.1	14.00	241.779.IB.1	87.00	242.415.00.1	16.00	242.957.SJ.1	275.00
241.066.00.1	14.00	241.779.ID.1	87.00	242.416.00.1	16.00	242.957.SQ.1	275.00
241.067.16.1	12.00	241.789.21.1	26.00	242.417.00.1	9.00	242.958.00.1	118.00
241.093.00.1	16.00	241.800.KD.1	12.00	242.418.00.1	6.00	242.975.11.1	5.00
241.149.00.1	110.00	241.803.00.1	14.00	242.420.00.1	6.00	243.084.00.1	12.00
241.150.00.1	159.00	241.805.00.1	12.00	242.424.00.1	159.00	243.088.00.1	6.00
241.161.00.1	11.00	241.813.00.1	11.00	242.480.00.1	17.00	243.090.00.1	59.00
241.167.00.1	9.00	241.820.21.1	12.00	242.484.00.1	6.00	243.091.00.1	18.00
241.199.11.1	49.00	241.826.00.1	11.00	242.486.00.1	11.00	243.092.00.1	27.00
241.199.21.1	54.00	241.829.00.1	6.00	242.516.00.1	24.00	243.093.00.1	8.00
241.286.00.1	5.00	241.831.00.1	56.00	242.530.SF.1	251.00	243.094.00.1	39.00
241.290.00.1	33.00	241.857.00.1	4.00	242.530.SG.1	251.00	243.095.00.1	32.00
241.291.00.1	2.00	241.858.00.1	21.00	242.544.GH.1	124.00	243.096.00.1	11.00
241.292.00.1	5.00	241.859.00.1	10.00	242.548.00.1	16.00	243.108.00.1	16.00
241.293.00.1	4.00	241.868.00.1	2.00	242.576.00.1	17.00	243.109.00.1	103.00
241.295.00.1	9.00	241.873.00.1	27.00	242.579.00.1	24.00	243.110.00.1	27.00
241.302.00.1	13.00	241.874.00.1	11.00	242.582.00.1	110.00	243.111.00.1	11.00
241.303.00.1	9.00	241.875.00.1	12.00	242.583.00.1	13.00	243.118.GH.1	522.00
241.335.00.1	31.00	241.876.00.1	15.00	242.584.00.1	79.00	243.118.SI.1	466.00
241.413.21.1	77.00	241.877.00.1	49.00	242.588.00.1	19.00	243.118.SJ.1	466.00
241.469.00.1	24.00	241.878.00.1	11.00	242.617.00.1	44.00	243.118.SQ.1	466.00
241.470.00.1	27.00	241.899.00.1	51.00	242.618.SG.1	778.00	243.139.00.1	7.00
241.476.00.1	376.00	241.903.00.1	19.00	242.618.SM.1	778.00	243.169.00.1	16.00
241.478.00.1	32.00	241.905.00.1	19.00	242.658.00.1	40.00	243.170.00.1	16.00
241.487.00.1	14.00	241.912.11.1	31.00	242.740.00.1	251.00	243.171.00.1	16.00
241.628.11.1	41.00	241.912.21.1	49.00	242.743.IW.1	41.00	249.801.00.1	103.00
241.628.21.1	41.00	241.915.SN.1	189.00	242.745.00.1	10.00	256.000.00.1	5.00
241.628.45.1	82.00	241.925.SN.1	189.00	242.764.00.1	189.00	271.227.00.1	51.00
241.628.AA.1	41.00	241.930.00.1	17.00	242.764.11.1	189.00	282.050.21.1	51.00
241.628.DY.1	41.00	241.931.00.1	3.00	242.764.GH.1	376.00	282.350.KD.1	51.00
241.628.FF.1	41.00	241.932.00.1	3.00	242.767.00.1	28.00	362.771.00.1	2.00
241.628.GG.1	82.00	241.933.00.1	21.00	242.768.00.1	17.00	362.790.00.1	2.00
241.670.00.1	16.00	241.934.00.1	63.00	242.769.00.1	17.00	362.796.92.1	5.00
241.725.21.1	71.00	241.935.00.1	138.00	242.776.00.1	42.00	366.061.16.1	20.00
241.726.21.1	112.00	241.936.00.1	16.00	242.776.GG.1	46.00	366.820.92.1	4.00
241.726.ID.1	163.00	241.937.00.1	63.00	242.776.ID.1	66.00	366.887.16.1	32.00
241.727.11.1	26.00	241.941.00.1	282.00	242.777.00.1	18.00	366.913.16.1	69.00
241.727.21.1	31.00	241.943.00.1	21.00	242.781.SN.1	189.00	366.914.16.1	69.00
241.727.45.1	51.00	241.944.00.1	56.00	242.813.00.1	189.00	367.071.18.1	143.00
241.727.AA.1	26.00	241.945.00.1	14.00	242.813.FW.1	189.00	367.485.16.1	143.00
241.727.DY.1	26.00	241.946.00.1	138.00	242.813.SI.1	159.00	367.923.16.1	143.00
241.727.FF.1	26.00	241.947.00.1	5.00	242.813.SJ.1	159.00	387.282.00.1	5.00
241.727.GG.1	37.00	242.009.00.1	10.00	242.813.SQ.1	159.00	405.116.00.1	212.00
241.728.21.1	31.00	242.010.00.1	5.00	242.814.00.1	32.00	465.034.00.1	35.00
241.728.45.1	51.00	242.012.00.1	4.00	242.819.00.1	12.00	813.514.00.1	2.00
241.728.97.1	37.00	242.039.00.1	70.00	242.820.00.1	189.00	813.812.00.1	9.00
241.728.98.1	37.00	242.045.00.1	14.00	242.822.00.1	10.00	816.418.00.1	2.00
241.728.CH.1	37.00	242.046.00.1	11.00	242.823.00.1	56.00	853.614.92.1	5.00
241.728.EK.1	43.00	242.047.00.1	27.00	242.824.00.1	40.00	880.328.11.1	6.00

Limited Warranty

LIMITED WARRANTY – The Company offers limited warranties regarding certain of its products. Such limited warranties can be found in the Company's catalogs and on its website at → [geberit.us](https://www.geberit.us). **THE COMPANY SHALL NOT BE LIABLE TO BUYER, OR TO ANYONE CLAIMING UNDER BUYER, FOR ANY OTHER OBLIGATIONS OR LIABILITIES, INCLUDING, BUT NOT LIMITED TO, OBLIGATIONS OR LIABILITIES ARISING OUT OF BREACH OF CONTRACT OR WARRANTY, NEGLIGENCE OR OTHER TORT OR ANY THEORY OF STRICT LIABILITY, WITH RESPECT TO THE PRODUCTS OR THE COMPANY'S ACTS OR OMISSIONS OR OTHERWISE. THE COMPANY AND BUYER AGREE THAT THE EXPRESS WARRANTIES DESCRIBED ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES. ALL OTHER EXPRESS WARRANTIES ARE DISCLAIMED. FOR COMMERCIAL PRODUCTS, ALL WARRANTIES IMPLIED BY LAW, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE DISCLAIMED. FOR CONSUMER PRODUCTS, WARRANTIES IMPLIED BY LAW, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE EXPRESSLY LIMITED TO THE PERIOD OF THE EXPRESS LIMITED WARRANTY FOR THE RELEVANT PRODUCT.** Some States do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to Buyer. **IN NO EVENT SHALL THE COMPANY BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, INDIRECT OR SPECIAL DAMAGES. THE COMPANY'S AGGREGATE LIABILITY WITH RESPECT TO A DEFECTIVE PRODUCT AND THIS CONTRACT SHALL BE LIMITED TO AN AMOUNT EQUAL TO THE MONIES PAID TO THE COMPANY FOR THAT DEFECTIVE PRODUCT.** Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to Buyer. Please see the Company's limited warranty statement for details on limitations.

TO WHOM DOES THIS WARRANTY APPLY? – The Company extends the following limited warranty to the original user only.

WHAT DOES THIS WARRANTY COVER AND HOW LONG DOES IT LAST? This warranty covers the following Commercial Products:

BATH WASTE & OVERFLOW PRODUCTS WARRANTY – Bath Waste & Overflow products are warranted against defects in material and workmanship for the life of the Products.

GEBERIT INSTALLATION SYSTEMS – Frame, Flushing Tanks, and Actuators for Geberit Installation Systems are warranted against defects in material and workmanship for the life of the Products. Filling and Flushing valves are warranted against defects in material and workmanship for 10 years from the date of Product purchase. The Company offers NO WARRANTY for Product batteries.

FIVE YEAR FINISH WARRANTY – RESIDENTIAL – For Products used in residential applications, the finish of the Product is warranted against material manufacturing defects for a period of five (5) years from the date of Product purchase.

FOREVERSHINE™ and HARD COAT FINISHES WARRANTY – RESIDENTIAL – ForeverShine™ and Hard Coat finishes installed in residential-use applications are warranted not to corrode, tarnish or discolor for the life of the Product.

OTHER WARRANTIES – All other Products not covered above are warranted against material manufacturing defects for a period of one (1) year from the date of Product purchase.

WHAT THIS WARRANTY DOES NOT COVER – The Company will not be liable for any labor, transportation or consequential expenses not specifically stated above. There is **NO WARRANTY** in cases of damage in transit, negligence, abuse, abnormal usage, misuse, accidents, normal wear and tear, damage due to environmental or natural elements, failure

to follow the Company's instructions, unauthorized repair, incorrectly performed maintenance or repair, improper installation or storage or use of acidic, abrasive cleaning materials. In order for this Warranty to apply, Buyer must retain and provide to the Company receipts showing date of Product purchase and documenting proper maintenance. Any oral or written description of the Products is for the sole purpose of identifying the Products and shall not be construed as an express warranty. **THE COMPANY SHALL NOT BE LIABLE TO BUYER, OR TO ANYONE CLAIMING UNDER BUYER, FOR ANY OTHER OBLIGATIONS OR LIABILITIES, INCLUDING, BUT NOT LIMITED TO, OBLIGATIONS OR LIABILITIES ARISING OUT OF BREACH OF CONTRACT OR WARRANTY, NEGLIGENCE OR OTHER TORT OR ANY THEORY OF STRICT LIABILITY, WITH RESPECT TO THE PRODUCTS OR THE COMPANY'S ACTS OR OMISSIONS OR OTHERWISE. THE COMPANY AND BUYER AGREE THAT THE EXPRESS WARRANTIES DESCRIBED ABOVE ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES. ALL OTHER EXPRESS WARRANTIES ARE DISCLAIMED. FOR COMMERCIAL PRODUCTS, ALL WARRANTIES IMPLIED BY LAW, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE DISCLAIMED. FOR CONSUMER PRODUCTS, WARRANTIES IMPLIED BY LAW, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE EXPRESSLY LIMITED TO THE PERIOD OF THE EXPRESS LIMITED WARRANTY STATED ABOVE FOR THE RELEVANT PRODUCT.** Some States do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. Any assistance the Company provides to or procures for Buyer outside the terms, limitations or exclusions of this warranty will not constitute a waiver of the terms, limitations or exclusions of this limited warranty, nor will such assistance extend or revive the warranty. The Company will not reimburse Buyer for any expenses incurred by Buyer in repairing, correcting or replacing any defective Products, except for expenses incurred with the Company's prior written permission.

HOW TO GET SERVICE – For complete warranty details, or to provide notice of a warranty claim or request warranty service, contact your Geberit Sales Representative or Geberit, Customer Service, 2100 S. Clearwater Drive, Des Plaines, Illinois 60018 or 847-803-5000. As the Company's sole and exclusive obligation under this warranty (and Buyer's sole and exclusive remedy), upon prompt written notice of breach from Buyer during the warranty period, the Company will either replace or repair the defective Product or refund the wholesale purchase price, at its option, if an inspection by the Company discloses defects in material or workmanship covered by this warranty. These warranty provisions do not cover the battery shipped with the electronic products.

LIMITATION ON DAMAGES – IN NO EVENT SHALL THE COMPANY BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, INDIRECT OR SPECIAL DAMAGES. WITHOUT LIMITING THE FOREGOING, THE COMPANY SHALL NOT BE LIABLE FOR ANY DAMAGE A PALM DEVICE OR ANY SOFTWARE OR RELATED EQUIPMENT ALLEGEDLY CAUSES TO A SYSTEM OR OTHERWISE. THE COMPANY'S AGGREGATE LIABILITY WITH RESPECT TO A DEFECTIVE PRODUCT AND THIS CONTRACT SHALL BE LIMITED TO AN AMOUNT EQUAL TO THE MONIES PAID TO THE COMPANY FOR THAT DEFECTIVE PRODUCT.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

HOW DOES STATE LAW APPLY? – This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Restrictions Apply

Geberit
2100 S. Clearwater Drive
Des Plaines, IL 60018
USA

P 800-566-2100
F 847-803-5454

→ geberit.us

